

# Guth

## ILLUMINATION

St. Paul's Methodist  
Episcopal Church  
Houston, Texas



By Invitation Member



Emblem of  
BUSINESS CHARACTER


Manheim-Delbern  
& Co.  
San Francisco, Cal.



Law  
Library  
Civil Courts  
Building  
St. Louis, Mo.



Main Banking Room,  
Genesee Valley Trust Co.  
Rochester, N. Y.



Main Lobby  
Jefferson Hotel  
St. Louis, Mo.



**The EDWIN F. GUTH COMPANY**  
*Lighting Equipment*  
ST. LOUIS, U.S.A.

CATALOG No. 25



# FOREWORD

In publishing our No. 25 Catalog, we illustrate a large and varied assortment of new designs suitable for Residences, Schools, Hospitals, Commercial and Industrial Buildings.

On designs which appeared in previous catalogs, broadsides and circulars under other numbers, and which are now shown in this issue, the prices and numbers listed herein supersede all previous listings, effective after February 25, 1931.

All prices in this catalog contemplate our furnishing fixtures, including the necessary wrapping and packages, also wire and sockets, but lamps not included unless specified. In many instances fixtures are suitable to connect direct to house wires. Wiring of pendants is of such a simple nature that assembly is but a matter of a few minutes.

All fixtures and fittings furnished to National Electric Code Standards and price corrections may be made without notice.

If glass other than illustrated on fixture is ordered, the correct price can be arrived at by deducting price of glassware illustrated (by referring to price list on inside of back cover) and adding in lieu the glassware ordered, which will give the list of complete fixture.

New and novel lighting equipment has kept us in the lead in this industry. On many types illustrated herein you will note that United States and some foreign patents have been granted.

**TERMS:** F. O. B. St. Louis—No Package Charge to all concerns of satisfactory credit rating—1% 15 days, net 30 days.

## *The* EDWIN E. GUTH COMPANY

DESIGNERS, ENGINEERS AND MANUFACTURERS OF  
LIGHTING EQUIPMENT AND GUTH-FAN

ST. LOUIS, U. S. A.

### SALES OFFICES

ATLANTA, GA.  
17 Eleventh Street, N. E.  
Phone: HEmlock 7664

CLEVELAND, OHIO  
1068 Leedale Avenue  
Phone: LAKewood 4894

COLUMBUS, OHIO  
1436 W. Second Avenue  
Phone: UNiversity 3432

NEW YORK CITY  
Room 811, 47 West 34th Street  
Phone: WIsconsin 7-2094

DETROIT, MICH.  
12071 Cloverlawn Avenue  
Phone: HOgarth 1865

ST. PAUL, MINN.  
1598 Berkley Avenue  
Phone: EMerson 5914

SAN FRANCISCO, CALIF.  
407 Call Building  
Phone: SUTter 5020

FORT WORTH, TEXAS  
321 Emma Avenue  
Phone: 2-2489

MILWAUKEE, WIS.  
5117 Cumberland Boulevard  
Phone: EDgewood 4794

### INDEX

Numbers	Page	Numbers	Page	Numbers	Page	Numbers	Page
79.....	34	R1196 to R1199, inc.....	30	K3395.....	22	R3921 to R3928, inc.....	7
				3414, inc.....	23	R3933 to R3944, inc.....	7
				8, inc.....	31	R3949 to R3954, inc.....	7
				5, inc.....	2	R3958 to R3961, inc.....	13
				inc.....	3	R3962 to R3963, inc.....	15
				inc.....	25	RR3964 to RR3967, inc.....	17
				inc.....	4	R3968 to R3971, inc.....	18
				inc.....	5	R3972 to R3973, inc.....	19
				inc.....	4	R3974 to R3987, inc.....	20
				inc.....	5	R3988 to R4008, inc.....	32
				inc.....	5	R4009 to R4023, inc.....	24
				inc.....	30	R4024 to R4031, inc.....	25
				inc.....	15	R4032 to R4037, inc.....	31
				inc.....	17	R4038 to R4041, inc.....	24
				inc.....	32	E4042.....	31
				inc.....	6	R4043.....	27
				inc.....	17	K4044 to K4047, inc.....	34
				inc.....	33	R4048 to R4049, inc.....	35
				inc.....	33	R4051 to R4054, inc.....	25
				inc.....	33	R4055 to R4058, inc.....	26
				inc.....	11	H4059 to H4061, inc.....	26
				inc.....	33	R4062 to R4065, inc.....	26
				inc.....	7, inc.....	R4066 to R4067, inc.....	32
				inc.....	9, inc.....	2 W4068 to W4070, inc.....	30
				inc.....	2, inc.....	G6297 to G6300, inc.....	30
				inc.....	3	G6368 to G6370, inc.....	30
				inc.....	7		

*The* EDWIN E. GUTH COMPANY  
ST. LOUIS, MO.

### CATALOG No. 25


TRADE DISCOUNT 50% F. O. B. CARS ST. LOUIS  
OR FROM JOBBER'S WAREHOUSE » PLUS FREIGHT

EFFECTIVE FEBRUARY 25, 1931

TERMS » 1%-15 DAYS » NET 30 DAYS

NO CHARGE FOR PACKAGE OR PACKING





W3900—1 Light  
Made of Brass and Aluminum  
White Cased Engraved Glass Panels  
Nine Panels on W3900 Fixture  
Twelve Panels on W3901 Fixture  
Finish F708 (Antique Pewter and Old Gold)

No.	Skt.	Watts	Diam.	Lgth.	Glass Bowl	Glass Size	Panel	Price	Code
W3900	Med.	200	21½"	60"	G4883	9½"	G6287	\$187.50	Armada
W3901	Mog.	300	27"	72"	G4889	12"	G6288	210.00	Arrant

Additional Length, \$1.00 Per Foot List

W3905—1 Light  
Reflector Lumo-Vitro Enamel  
Stem made of Brass  
Finish F708 (Antique Pewter and Old Gold)

No.	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
W3905	Med.	75-150	12½"	60"	G4877	7"	\$48.70	Asleep
W3906	Med.	200	17"	60"	G4883	9½"	51.80	Aslope
W3907	Mog.	300	21"	60"	G4889	12"	56.10	Aspect

Additional Length, \$1.00 Per Foot List

W3902—1 Light  
Reflector Lumo-Vitro Enamel  
Stem made of Brass  
Finish F708 (Antique Pewter and Old Gold)

No.	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
W3902	Med.	75-150	12½"	60"	G4876	7"	\$20.50	Arrest
W3903	Med.	200	17"	60"	G4882	9½"	22.90	Artery
W3904	Mog.	300	21"	60"	G4888	12"	26.40	Artful

Additional Length, \$1.00 Per Foot List




# Guth BrascoLite

U. S. and Foreign Patents  
14680 1147717  
81470 1304963  
Trade-Mark Registered

BRASCOLITE embodies all of the principles of good lighting. Perfect diffusion plus reflection, and an abundance of light without glare. The even distribution of light to all parts of the room with a large volume of light on the working plane. The low first cost and low installation and maintenance cost, and the durable construction make Brascolite ideal for every pur-

pose. The perfectly glazed Lumo-Vitro enameled reflector will look new and last indefinitely. Very easy to clean and relamp.

The high efficiency of the Brascolite is obtained by the arrangement of the bowl and reflector which directs all emitted light to the working plane with a minimum of absorption.



W3908—36" Long  
Three-Chain Hanger  
Diamond Link  
Material Steel  
Finish F170  
(Moderne Bronze)  
Price, \$5.50  
Code, Aspire

Extra Length, \$1.50 Foot List

When additional length over 2 feet is required, a single chain will be used between canopy and three-way hook, as shown.

W3466—1 Light  
White Lumo-Vitro—Edge Red—Decorated Glass

Number	Skt.	Watts	Diam.	Glass	Size	Price	Code
W3466	Med.	75-150	12½"	G4877	7"	\$ 8.70	Vend
W3467	Med.	200	17"	G4883	9½"	11.80	Venus
W3468	Mog.	300-500	21"	G4889	12"	16.10	Verge

Plain Glass

Number	Skt.	Watts	Diam.	Glass	Size	Price	Code
W3463	Med.	75-150	12½"	G4876	7"	\$ 7.00	Vast
W3464	Med.	200	17"	G4882	9½"	9.40	Veda
W3465	Mog.	300-500	21"	G4888	12"	12.90	Venal


Brascolite Pull Switch, \$1.50 List Additional  
(Switch shown on page 32)

W3909—36" Long  
Three-Chain Hanger  
Oval Link  
Material Steel  
Finish F170  
(Moderne Bronze)  
Price, \$4.50  
Code, Astern



Extra Length, \$0.75 Foot List

When additional length over 2 feet is required, a single chain will be used between canopy and three-way hook, as shown.





- 1—Hook for chain hanger.
- 2—Reflector, Lumo-Vitro Enamel, retains initial gloss and efficiency indefinitely.
- 3—Adjustable bowl support permits proper positioning of lamp filament.
- 4—Bowl of highest quality light-diffusing Monax glass, paste mould blown.
- 5—Guth general socket; simplest practical fixture support.
- 6—Brascolite switch of 660-watts capacity.
- 7—Brascolite bug filter and lamp ventilator, retaining better initial efficiency.
- 8—Coupling  $\frac{3}{8}$ -inch iron pipe size.
- 9—Lock ring to support reflector.




W3536—Decorated Glass

Number	Lts.	Spread	Extend.	Glass	Price	Code
W3536	1	8"	4"	G5371	\$15.00	Attire

W3535—Plain Glass

Number	Lts.	Spread	Extend.	Glass	Price	Code
W3535	1	8"	4"	G5370	\$13.80	Attack




W618—1 Light  
White Lumo-Vitro Enamel  
Tuscan Design Translucent Bowl


W623—1 Light  
White Lumo-Vitro Reflector  
Band Leather Bronze Lumo-Vitro Enamel

No.	Code	No.	Code	Skt.	Watts	Diam.	Glass	Size	Price
W618	Wink	W623	Wlood	Med.	40-75	10"	G766	6 $\frac{1}{4}$ "	\$ 6.40
W619	Wliss	W624	Wloom	Med.	100-200	14"	G765	8 $\frac{1}{4}$ "	8.00
W620	Wloat	W625	Wlout	Med.	200	18"	G764	11"	12.00
W621	Wloka	W626	Wlow	Mog.	300	18"	G764	11"	12.00
W622	Wlond	W627	Wlude	Mog.	500	22"	G763	14"	19.50

Brascolite Pull Switch, \$1.50 List Additional



Photometric tests show an average efficiency of the Brascolite over 90 per cent. The Brascolite carries its own ceiling, therefore it is independent of room ceilings in height, shape or color.



W3910—1 Light  
White Lumo-Vitro—Edge Red  
Decorated Glass  
Fan Not Included



No.	Skt.	Watts	Diam.	Class	Size	Price	Code
W3910	Med.	75-150	12 $\frac{1}{2}$ "	G4877	7"	\$ 9.70	Astern
W3911	Med.	200	17"	G4883	9 $\frac{1}{2}$ "	12.80	Asylum
W3912	Mog.	300	21"	G4889	12"	17.10	Astute

Brascolite Pull Switch, \$1.50 List Additional  
SPECIFY MAKE AND TYPE FAN



**Guth** **MODERNE**  
LUMO-VITRO  
**Indirect-Lite**

Patent Applied For



R3622—1 Light

R3604—1 Light  
Bowl Lumo-Vitro Enamel  
Ivory Outside—White Inside  
Stem Duco Ivory

Chain Stem Number	Stem Code	Tube Stem Number	Stem Code	Lt.	Skt.	Wattage	Diam.	Lgth.	Price
R3604	Acetic	R3622	Aerate	1	Med.	150-200	12½"	30"	\$12.75
R3605	Acquit	R3623	Aerial	1	Med.	200	15"	30"	14.00
R3606	Active	R3624	Affray	1	Mog.	300-500	15"	36"	15.50
R3607	Adduce	R3625	Afraid	1	Mog.	300-500	18"	42"	16.75
R3608	Adjure	R3626	Aghast	1	Mog.	750-1,000	18"	42"	16.75

Additional Length, \$0.75 Per Foot List




# GUTH INDIRECT-LITE

GUTH Indirect-Lite turns the light produced into efficient illumination on the working plane, eliminating glare and producing better vision.

Reflector is made of one piece of Armco Iron, finished on the inside with Lumo-Vitro White Enamel and finished on outside—Old Ivory. Canopy and stems are finished in Duco Ivory. The adjustable socket permits raising or lowering lamp to obtain proper focus.

Socket cover heat-resisting finish and will not discolor from heat of lamp.

They are simple to clean and relamp. Simply unhook one of the supports for instant access to the reflector surface, or the bowl may be removed entirely by unhooking the three supports. Can be furnished with or without china bowl inner reflector. The outstanding feature of the china reflector is that it can be lifted out and cleaned, and it will retain its initial efficiency for a longer period of time because there is a smaller dust settling area.



Chain Stem China Bowl Inside		Chain Stem China Bowl Exposed		Tube Stem China Bowl Inside		Tube Stem China Bowl Exposed		Lts.	Skt.	Wattage	Diam.	Lgth.	Price
Number	Code	Number	Code	Number	Code	Number	Code						
R3610	Attune	R3616	Aviary	R3628	Bailee	R3634	Bamboo	1	Med.	150-200	12½"	30"	\$14.50
R3611	Auburn	R3617	Awaken	R3629	Bailor	R3635	Bandit	1	Med.	200	15"	30"	15.75
R3612	Aurora	R3618	Awning	R3630	Ballet	R3636	Banner	1	Mog.	300-500	15"	36"	18.00
R3613	Author	R3619	Babble	R3631	Ballot	R3637	Bantam	1	Mog.	300-500	18"	42"	19.25
R3614	Avenue	R3620	Baboon	R3632	Banana	R3638	Banter	1	Mog.	750-1,000	18"	42"	20.50

Additional Length, \$0.75 Per Foot List

## Ball and Socket Joint with Tube Stem Not Equipped with China Bowl

Number	Diam.	Lgth.	Price	Code
R3646	12½"	30"	\$13.50	Banyan
R3647	15"	30"	14.75	Barber
R3648	15"	36"	16.25	Barren
R3649	18"	42"	17.50	Bateau
R3650	18"	42"	17.50	Bathos

Additional Length, \$0.75 Per Foot List

## Ball and Socket Joint Tube Stem

China Bowl Inside		China Bowl Exposed		Diam.	Price
Number	Code	Number	Code		
R3652	Batten	R3658	Beaver	12½"	\$15.25
R3653	Batter	R3659	Becalm	15"	16.50
R3654	Battle	R3660	Beckon	15"	18.75
R3655	Bauble	R3661	Bedlam	18"	20.00
R3656	Beadle	R3662	Beetle	18"	21.25

Additional Length, \$0.75 Per Foot List

Nite-Lite can be furnished on 15" and 18" diameter  
With Tube Stem, \$3.25 List Additional




# Guth Lumo-Vitro Indirect-Lite

Patent Pending

REFLECTORS are stamped from one piece of Armco Iron finished on inside with the exclusive Guth Lumo-Vitro White Enamel and finished on outside in Lumo-Vitro Old Ivory. Canopy and chain are finished in Duco Ivory. The finish is guaranteed to retain the original lustre indefinitely.

They are simple to clean and relamp. Simply unhook one support for instant access to the reflector surface, or the bowl may be removed entirely by unhooking the three supports. A damp cloth quickly and easily removes all dust from the reflector surface.

The adjustable General Socket permits raising or lowering lamp to obtain proper focus.



Photometric Chart  
Showing Light Output  
of 82%



R3756—1 Light  
Ivory Lumo-Vitro Enamel Outside  
White Lumo-Vitro Enamel Inside  
Ornamental Band and Bottom Decoration  
Chain and Canopy Duco Tusk Ivory

No.	Skt.	Wattage	Diam.	Lgth.	Price	Code
R3756	Med.	100-150	10"	30"	\$10.75	Behave
R3757	Med.	200	14"	30"	11.80	Behalf
R3758	Mog.	300-500	14"	30"	13.30	Behead
R3759	Mog.	300-500	18"	36"	14.65	Beheld
R3760	Mog.	750-1,000	18"	36"	14.65	Behold
R3761	Mog.	750-1,000-1,500	22"	42"	20.70	Behoof

Additional Length, \$0.50 Per Foot List


Packed One Complete Unit with Wire and Parts in Carton

## SUGGESTED SPACING AND HANGING HEIGHT FOR GUTH INDIRECT-LITE

Ceiling Height	Spacing Between Units	Top of Bowl From Ceiling
8' 6" to 9'	7' to 8'	1' to 2'
9' 6" to 10'	7' to 8'	1' to 2'
10' 6" to 11'	8' to 10'	1 1/2' to 2 1/2'
11' 6" to 12'	10' to 12'	2' to 3'
12' 6" to 13'	10' to 12'	2' to 3'
13' 6" to 14'	10' to 14'	2 1/2' to 3 1/2'
14' 6" to 15'	11' to 15'	2 1/2' to 4'
15' 6" to 16'	12' to 16'	2 1/2' to 4'
16' 6" to 18'	14' to 20'	3' to 4'

## RECOMMENDED WATTS PER SQUARE FOOT

Offices—3 watts    Drafting Rooms—5 to 10 watts  
Hospital Operating Rooms—20 to 25 watts



R3750—1 Light  
Steel  
Ivory Lumo-Vitro Enamel Outside  
White Lumo-Vitro Enamel Inside  
Canopy and Chain Duco Tusk Ivory

No.	Skt.	Wattage	Diam.	Lgth.	Price	Code
R3750	Med.	100-150	10"	30"	\$ 8.50	Beeves
R3751	Med.	200	14"	30"	9.30	Befall
R3752	Mog.	300-500	14"	30"	10.80	Befool
R3753	Mog.	300-500	18"	36"	11.65	Befoul
R3754	Mog.	750-1,000	18"	36"	11.65	Beggar
R3755	Mog.	750-1,000-1,500	22"	42"	17.20	Begone


Additional Length, \$0.50 Per Foot List

Packed One Complete Unit with Wire and Parts in Carton

NO PACKAGE CHARGES — PRICES F. O. B. ST. LOUIS




Fixtures on this page can be furnished with four textures of glass . . . Gletian Decorated Polycased, Plain Polycased, Plain White Silvaglo, and Plain Celestialite. Price of glass will be found on page 37 under Numbers G6251 to G6266. Deduct price of glass illustrated and add in lieu price of glass desired to find list price of complete fixture.




**R3949**  
Finish F708  
(Antique Pewter and Gold)

**7 Light**  
Gletian  
Decorated  
Polycased Glass




**R3925**  
Finish F708  
(Antique Pewter and Gold)

**1 Light**  
Plain White  
Silvaglo Glass



**R3913—1 Light**  
Finish F708 (Antique Pewter and Gold)  
Plain White Silvaglo Glass



**R3937**  
Finish F708  
(Antique Pewter and Gold)

**1 Light**  
Gletian  
Decorated  
Polycased Glass

**PLAIN WHITE SILVAGLO GLASS**

Number	Skt.	Watts	Holder	Diam.	Length	Glass	Size	Price
R3913	Med.	75-150	4"	10"	13 1/2"	G6263	10" x 4"	\$ 8.85
R3914	Med.	200	6"	12"	16"	G6264	12" x 6"	12.55
R3915	Mog.	300	6"	14"	17"	G6265	14" x 6"	14.40
R3916	Mog.	500	8"	16"	19 1/2"	G6266	16" x 8"	18.35
R3925	Med.	75-150	4"	10"	48"	G6263	10" x 4"	10.60
R3926	Med.	200	6"	12"	48"	G6264	12" x 6"	13.30
R3927	Mog.	300	6"	14"	48"	G6265	14" x 6"	15.15
R3928	Mog.	500	8"	16"	60"	G6266	16" x 8"	18.60

Additional Length, \$0.75 Per Foot List

**PLAIN CELESTIALITE GLASS**

Number	Glass	Price
R3921	G6251	\$15.50
R3922	G6252	20.55
R3923	G6253	26.05
R3924	G6254	37.05
R3933	G6251	17.25
R3934	G6252	21.30
R3935	G6253	26.80
R3936	G6254	37.30

**GLETIAN DECORATED POLYCASED GLASS**

Number	Skt.	Watts	Holder	Diam.	Lgth.	Glass	Size	Price
R3937	Med.	75-150	4"	10"	48"	G6255	10" x 4"	\$25.05
R3938	Med.	200	6"	12"	48"	G6256	12" x 6"	29.10
R3939	Mog.	300	6"	14"	48"	G6257	14" x 6"	33.40
R3940	Mog.	500	8"	16"	60"	G6258	16" x 8"	38.25

Additional Length, \$0.75 Per Foot List

**PLAIN POLYCASED GLASS**

Number	Glass	Price
R3941	G6259	\$21.75
R3942	G6260	25.70
R3943	G6261	28.30
R3944	G6262	33.15

R3949	7 Med.	200	6"	16"	72"	G6256	12" x 6"	\$49.10	R3952	G6260	\$45.70
R3950	6 Med. 1 Mog.	300	6"	18"	72"	G6257	14" x 6"	55.90	R3953	G6261	50.80
R3951	6 Med. 1 Mog.	500	8"	20"	72"	G6258	16" x 8"	65.75	R3954	G6262	60.65

Additional Length, \$1.00 Per Foot List




# Guth LITE

U. S. PATENT 1453794

TRADE-MARK REGISTERED

## SUPER-ILLUMINATOR NATIONALLY ADVERTISED

THE GuthLite is a totally enclosed unit that gives a scientifically correct diffused and redirected light without glare. Its light rays are distributed vertically, horizontally and at an angle. GuthLite gives a very wide distribution so that fewer units are needed to light a given area. The patented features of GuthLite facilitate installing, cleaning and relamping. It is the lowest priced unit of its type on the market. Made in three sizes and four styles.



Hanger and Ornamental Band finished in Antique Bronze. Reflector White Lumo-Vitro Enamel with outer edge Ivory.

H898—1 Light  
Tan Decorated Glass  
Steel, Lumo-Vitro Enamel

Number	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
H896	Med.	75-150	13"	14½"	G3726	8½" x 4"	\$ 9.00	Afore
H897	Med.	200	17½"	18"	G3727	12" x 5"	12.75	Afoul
H898	Mog.	300-500	21½"	19"	G3728	14" x 6"	17.45	Agave

H895—1 Light  
Plain Glass  
Steel, Lumo-Vitro Enamel

Number	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
H893	Med.	75-150	13"	14½"	G3722	8½" x 4"	\$ 8.15	Aerie
H894	Med.	200	17½"	18"	G3723	12" x 5"	12.20	Aflow
H895	Mog.	300-500	21½"	19"	G3724	14" x 6"	16.30	Afoot

Pull Switch, \$1.50 List Additional      Extra Length, \$0.35 Per Foot List

NO PACKAGE CHARGES — PRICES F. O. B. ST. LOUIS



# HIGH EFFICIENCY... DECORATIVE




H887—Plain Glass  
Lumo-Vitro Enamel

No.	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
H887	Med.	75-100	12½"	14½"	G3722	8½" x 4"	\$ 6.50	Abed
H888	Med.	200	17"	18"	G3723	12" x 5"	10.00	Able
H889	Mog.	300-500	21"	19"	G3724	14" x 6"	13.50	About

H890—Tan Decorated Glass

No.	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
H890	Med.	75-100	12½"	14½"	G3726	8½" x 4"	\$ 7.35	Above
H891	Med.	200	17"	18"	G3727	12" x 5"	10.55	Adapt
H892	Mog.	300-500	21"	19"	G3728	14" x 6"	14.65	Adieu


Pull Switch, \$1.50 List Additional  
Extra Length, \$0.35 Per Foot List



H905—Iron  
Tan Decorated Glass  
Finish F557 (Oxidized Bronze)  
Reflector White Lumo-Vitro Enamel

No.	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
H905	Med.	200	17½"	60"	G3133	12" x 5"	\$27.50	Ahead
H906	Mog.	300-500	21½"	60"	G3134	14" x 6"	32.00	Ahoy


Extra Length, \$0.75 Per Foot List



H901—Brass  
Tan Decorated Glass  
Finish F364 (French Gold)  
Reflector White Lumo-Vitro Enamel


No.	Skt.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
H901	Med.	200	17"	60"	G3133	12" x 5"	\$40.00	Aglow
H902	Mog.	300-500	21"	60"	G3134	14" x 6"	45.00	Agog

Extra Length, \$1.50 Per Foot List



Photometric Light Curve  
Showing Wide Distribution of Light

- 1—New Guth Fixture Supporting Socket. Threaded outside, permitting easy adjustment of reflector. Controls amount of up or downward light.
- 2—Globe Holder. Of simplest spring type. Safe, elastic and concealed. Ordinary ones absorb about 7% of the light rays, whereas GuthLite utilizes this for ceiling illumination.
- 3—Reflector of White Glazed Porcelain Enamel. Adjustable. Controls and redirects the upward light rays to the useful plane.
- 4—Globe of Scientific Design. Produces maximum light output, control and diffusion. Wide lower part reduces glare and conceals bright neck. Top of extended portion of globe so shaped that settling dust will not be seen and absorption will be negligible.
- 5—Mazda Lamp. Positioned high so that hemisphere is uniformly lighted and is low in brightness. This construction also provides a cool lamp.







PATENT NO. 1251406—1147717  
TRADE-MARK REGISTERED

### Standard Finishes

Shaded Orchid, Shaded Apple Green.  
Solid Ivory, Solid Gray or Pure White.



A1076  
A1077



A1072      A1073  
A1074      A1075



A1067      A1066  
Pull Chain      Keyless



A1064      A1065

THE Aglite line of Lumo-Vitro Enamel units are ideal for use wherever cleanliness and sanitation are paramount. They harmonize perfectly with the interiors of white tiled bathrooms, kitchens, hospitals, laboratories, etc.

Aglite canopies are stamped from polished cold-rolled steel and three coats of permanent Lumo-Vitro Enamel are then fused on at 1,700 degrees Fahrenheit in our electric porcelain enameling furnaces. Lumo-Vitro is of vitreous glass material, non-porous, and its electrical insulation resists penetration up to 1,200 volts.

Number	Lts.	Socket	Conv. Outlet	Glass	Price	Code
A1064	1	Keyless	No	G1382	\$2.45	Bibe
A1065	1	Pull	No	G1382	2.85	Bier
A1066	1	Keyless	No	None	1.20	Bight
A1067	1	Pull	No	None	1.60	Bigot

Above Furnished in Polished Stainless Steel, \$1.50 List Additional

Number	Lts.	Socket	Conv. Outlet	Glass	Price	Code
A1072	1	Keyless	No	G3144	\$2.80	Bind
A1073	1	Pull	No	G3144	3.20	Biped
A1074	1	Keyless	Yes	G3144	3.30	Birch
A1075	1	Pull	Yes	G3144	3.70	Bird

Above Furnished in Polished Stainless Steel, \$1.65 List Additional

Number	Lts.	Socket	Conv. Outlet	Glass	Price	Code
A1076	1	Keyless	No	G3144	\$2.70	Birth
A1077	1	Pull	No	G3144	3.10	Bison


Above Furnished in Polished Stainless Steel, \$1.50 List Additional  
Each Unit is Packed in Separate Carton

### Method of Installing Aglites

Bridge (No. 1) is attached to any standard outlet with locknut furnished. Attach house wires to porcelain socket (No. 3) and clamp it in canopy (No. 5).

Place canopy in position toward ceiling (for wall) with screws (No. 2), projecting through keyhole slots (No. 4).

Turn canopy to right and tighten screws (No. 2) with screw driver. Glass shade (No. 6) is then placed over Bakelite screw collar of socket and held in position by patented, internal-threaded collar (No. 7). When light is installed no metal parts are visible.





All Aglites, except A3346 line, equipped for installing on standard gem box as well as standard 3 $\frac{1}{4}$ " or 4" box.



PATENTS NOS. 1251406—1147717  
TRADE-MARK REGISTERED

**G**UTH Exclusive Lumo-Vitro Enamel is everlasting and guaranteed not to discolor, tarnish, check, rust or peel. It can be cleaned by merely rubbing with damp cloth.

Aglites are easily and quickly mounted on any standard outlet, connected direct to house wire without the use of solder or tape.

Aglites are furnished in the following beautiful colors: Shaded Orchid, Shaded Apple Green, Solid Ivory, Solid Gray or Pure White.

Each unit is packed complete, less lamp, in separate carton, ready to install.

Prices are F. O. B. St. Louis, no packing charges.


Number	Socket	Price	Conv. Outlet	Glass	Color	Code
A2976	Keyless	\$3.20	No	G3992	Ivory	Yet
A2977	Pull	3.60	No	G3992	Ivory	Vex
A2978	Keyless	3.30	No	G3991	White	Tax
A2979	Pull	3.70	No	G3991	White	Tea
A2980	Keyless	3.80	Yes	G3991	White	Teak
A2981	Pull	4.20	Yes	G3991	White	Teal
A2982	Keyless	3.30	No	G3992	Ivory	Xyst
A2983	Pull	3.70	No	G3992	Ivory	Yare
A2984	Keyless	3.80	Yes	G3992	Ivory	Yest
A2985	Pull	4.20	Yes	G3992	Ivory	Yew
A2986	Keyless	3.20	No	G4088	White	Taut
A2987	Pull	3.60	No	G4088	White	Taw
A2988	Keyless	3.20	No	G4089	Ivory	Yore
A2989	Pull	3.60	No	G4089	Ivory	Yule
A3346	Keyless	2.10	No		None	Glory
A3347	Turn	2.70	No		None	Gnarl
A3348	Keyless	2.60	Yes		None	Gnash
A3349	Turn	3.20	Yes		None	Gnome
A3863	Keyless	3.20	No	G3991	White	Abound
A3864	Pull	3.60	No	G3991	White	Abrade

#### ADDITIONAL FOR POLISHED STAINLESS STEEL


A2976 to A2977, inclusive, \$1.50 List Additional    A2986 to A2989, inclusive, \$1.50 List Additional  
A2978 to A2985, inclusive, 1.65 List Additional    A3346 to A3349, inclusive, 2.20 List Additional  
A3863 to A3864, inclusive, \$1.50 List Additional

### Method of Installing Ball Lamp Aglite Bracket

- 1—Screw coupling (No. 1) to stud.
- 2—Splice two wires from plug (No. 2) and the two extra pieces of No. 18 wire included with fixture, to house wires.
- 3—Remove socket from bracket. Place bracket in position over wall box. Pull the two No. 18 wires through hole (No. 3). Lock bracket in position with screw (No. 4) which can be reached with screw driver through open top of cup.
- 4—Attach No. 18 wires to socket (No. 5). Insert socket in cup and lock in position with Bakelite nut (No. 6).
- 5—It is not necessary to remove knob (No. 7) to place socket in position.



A2978    A2982  
A2979    A2983  
A2980    A2984  
A2981    A2985  
White    Ivory



A2976    A3863  
A2977    A3864  
Ivory    White



A2986    A2988  
A2987    A2989  
White    Ivory



A3346    A3348  
A3347    A3349

Shaded Orchid, Shaded Apple Green,  
Solid Ivory, Solid Gray or Pure White



# HOSPITAL AGLITES

U. S. Patents { No. 1251406  
No. 1147717 } T. M. Registered

## A1078—CONVENIENCE OUTLET—OPAL GLASS

Number	Lts.	Pull	Keyless	Ext.	Hgt.	Glass	Size	Price	Code
A1078	2	...	2	8½"	10"	G3144	5¾ x 2¼	\$14.05	Bite
A1079	2	1	1	8½"	10"	G3144	5¾ x 2¼	14.90	Blab
A1080	2	2	...	8½"	10"	G3144	5¾ x 2¼	15.75	Blade

## A1081—TOGGLE SWITCH—OPAL GLASS

Number	Lts.	Pull	Keyless	Ext.	Hgt.	Glass	Size	Price	Code
A1081	2	...	2	8½"	10"	2-G3144	5¾ x 2¼	\$16.05	Blame
A1082	2	1	1	8½"	10"	2-G3144	5¾ x 2¼	16.90	Bland

Toggle Switch Controls Upper Light

## A1083—TOGGLE SWITCH CONVENIENCE OUTLET—OPAL GLASS

Number	Lts.	Pull	Keyless	Ext.	Hgt.	Glass	Size	Price	Code
A1083	1	...	1	7½"	9"	G3144	5¾ x 2¼	\$9.00	Blank

## A1084—CANDELABRA—TOGGLE SWITCH—OPAL GLASS

Number	Lts.	Pull	Keyless	Ext.	Hgt.	Glass	Size	Price	Code
A1084	2	...	2	7½"	9"	G3144	5¾ x 2¼	\$9.30	Blare
A1085	2	1	1	7½"	9"	G3144	5¾ x 2¼	9.70	Blase

Toggle Switch Controls Nite-Lite

## A1086—CANDELABRA—TOGGLE SWITCH—OPAL GLASS


Number	Lts.	Pull	Keyless	Ext.	Hgt.	Glass	Size	Price	Code
A1086	2	...	2	10"	8"	G3144	5¾ x 2¼	\$6.60	Blast
A1087	2	1	1	10"	8"	G3144	5¾ x 2¼	7.00	Blaze

Toggle Switch Controls Nite-Lite


## A1088—CANDELABRA—OPAL GLASS

Number	Lts.	Pull	Keyless	Ext.	Hgt.	Glass	Size	Price	Code
A1088	2	...	2	9"	7"	G3144	5¾ x 2¼	\$5.40	Bleak
A1089	2	1	1	9"	7"	G3144	5¾ x 2¼	5.80	Blear


Nite-Lite Controlled by Wall Switch



A1088  
A1089  
Steel




A1086  
A1087  
Steel



A1084  
A1085  
Steel

Above fixtures are for use over patient's bed. The small light is 2-candle power 110-volt lamp, which is used as night light and is controlled by small switch on the fixture.




A1083  
Steel

Types A1078 to A1082 are for use in Private rooms and wards where no ceiling fixtures are installed. Fixtures are installed over bed and upper light is intended for room illumination.


Upper light can be equipped with steel Lumo-Vitro enameled shade, making a total indirect for room illumination.

Lumo-Vitro Shade G3092 can be furnished at \$1.00 each list additional.




A1078, A1079, A1080  
Cast Iron  
Lumo-Vitro Enamel

Type A1083, A1084 and A1085 are mounted on 2-gang tandem switch box. Switch box not included in price.




A1081 A1082  
Cast Iron  
Lumo-Vitro Enamel






Radiographic and X-Ray Room, Peralta Hospital, Oakland, California,  
Showing Lighting

By mounting the fixture in corner of the X-Ray Room the electrical outlets are kept at the greatest possible distance from the aerials of the high-frequency wires of the X-Ray equipment. The outlets should be placed  $4\frac{1}{2}$  inches from corner of room to center of outlet box. Two to four of these units are required in small rooms. Where room is extra long we suggest four corner units and two side wall units. This unit directs the light to the ceiling, thus preventing the direct rays of light from coming in contact with the operator's eyes.



R3958—Corner  
R3959—Side Wall  
1 Light—Metal  
Finish F12 (Tusk Ivory)  
Fits on Standard Outlet Box

Number	Extends	Height	Price	Code
R3958	11"	14"	\$25.00	Citric
R3959	11"	14"	30.00	Citron



R3960—1 Light  
Adjustable Bed Light  
Polished Aluminum


Can be used as bed reading light or for indirect illumination. Can also be used as Therapeutic Lamp. When ordering give diameter of top cross bar, also diameter of upright rod of bed.

R3960—1 Light

Price	Code
\$18.00	Clamor

A3961—1 Light

Price	Code
\$12.50	Claret



R3961—1 Light  
Adjustable Wall Light  
Polished Aluminum

Fits on any standard outlet box and has the many uses that R3960 Bed Light has.





R1145—1 Light  
Lumo-Vitro Enamel  
Opal Glass



R1153—1 Light  
Lumo-Vitro Enamel  
Opal Glass



R1102  
Lumo-Vitro Enamel  
Opal Glass—Clear Top

Type R1103 is equipped with two sockets for the purpose of night light or special requirements in addition to regular service light.

Number	Lts.	Skts.	Watts	Diam.	Glass	Size	Price	Code
R1102	1	Med.	40-100	10"	G236	8"	\$ 8.45	Blood
R1103	2	Med.	100-150	14"	G235	9"	12.15	Bloom

Number	Lts.	Skts.	Watts	Diam.	Lgth.	Glass	Size	Price	Code
W1113	4	Med.	100-150	14"	60" O. A.	G627	9"	\$37.00	Board
W1114	4	Med.	200	20"	60" O. A.	G628	11 1/2"	44.00	Boche
W1115	4	{ 3 Med. 1 Mog. }	300-500	26"	60" O. A.	G629	16"	62.00	Bode

Additional Length, \$1.50 Per Foot List

Number	Lts.	Skts.	Watts	Diam.	Glass	Size	Price	Code
W1116	1	Med.	100-150	14"	G627	9"	\$21.00	Body
W1117	1	Med.	200	20"	G628	11 1/2"	26.00	Boer
W1118	1	Mog.	300-500	26"	G629	16"	42.00	Bogey

Number	Lts.	Skts.	Watts	Lgth.	Glass	Size	Price	Code
R1145	1	Med.	75-100	48" O. A.	G2146	10" x 4"	\$ 9.45	Borne
R1146	1	Med.	150-200	48" O. A.	G2145	12" x 5"	11.50	Bosh
R1147	1	Med.	200	48" O. A.	G2144	14" x 6"	13.05	Bosom
R1148	1	Mog.	300-500	48" O. A.	G2144	14" x 6"	13.35	Boss


Additional Length, \$1.00 Per Foot List

Number	Lts.	Skts.	Watts	Glass	Size	Price	Code
R1153	1	Med.	75-100	G2146	10" x 4"	\$4.20	Bowie
R1154	1	Med.	150	G2145	12" x 5"	6.25	Brace
R1155	1	Med.	200	G2144	14" x 6"	7.80	Brad
R1156	1	Mog.	300	G2144	14" x 6"	8.25	Brag


Number	Lts.	Skts.	Watts	Diam.	Lgth.	Price	Code
R3378	1	Med.	75	8"	11"	\$ 7.30	Helve
R3379	1	Med.	100	10"	12"	8.15	Heron
R3380	1	Med.	150	12"	12 1/2"	10.00	Hilt
R3381	1	Mog.	200	14"	13"	12.40	Hint



R3378—1 Light  
White Lumo-Vitro Inside  
Ivory Lumo-Vitro Outside



W1116—1 Light  
Lumo-Vitro Enamel Reflector  
Radiant Glass Bowl



W1113—4 Lights  
Lumo-Vitro Enamel Reflector  
Radiant Glass Bowl

## CLINIC - LITE

U. S. Pat. No. 1663653 Trade-Mark Reg.

The Clinic-Lite has proven most efficient and practical for Minor Operating Rooms and Clinics. The White Lumo-Vitro Enamel Reflector with highest grade radiant glass bowl provides a large volume of semi-concentrated diffused light on the table or chair. Made in three sizes for either high or low ceilings.



Number	Depth	Width	Hgt.	Glass	Size	Price	Code
R1092	3 1/4"	4 5/8"	7 3/4"	G3857	4" x 3 3/8"	\$10.00	Blend


Number	Skts.	Diam.	Glass	Size	Reflector	Price	Code
R1093	None	8"	G3853	6"	None	\$5.00	Bless
R1094	None	10"	G3854	8"	None	6.00	Blast
R1095	None	12"	G3855	10"	None	8.50	Blew

Number	Lts.	Depth	Width	Hgt.	Glass	Price	Code
R1096	1	4 1/4"	9 5/8"	6 1/8"	G3856	\$12.00	Blimp


Number	Lts.	Diam.	Depth	Glass	Size	Price	Code
R1097A	1	12 3/4"	6"	G3449	11"	\$22.50	Blind
R1098A	2	12 3/4"	6"	G3449	11"	25.00	Blink
R1099B	1	12 3/4"	6"	G3449	11"	21.25	Bliss
R1100B	2	12 3/4"	6"	G3449	11"	23.75	Bloat

Number	Lts.	Depth	Width	Hgt.	Price	Code
R3698	1	3 1/16"	8 1/4"	4 1/2"	\$7.00	Brogan

Number	Material	Lts.	Width	Hgt.	Protrude	Glass	Price	Code
R3962	Iron	1	5 1/8"	12 1/2"	2 1/4"	G4451	\$22.50	Bridle
R3963	Bronze	1	5 1/8"	12 1/2"	2 1/4"	G4451	30.00	Broach




R1092  
Lumo-Vitro Enamel  
Box 7 1/4" x 4 1/2" x 3" Deep  
Included in Price





R1093—Brass  
Finish F59 (Statuary Bronze)  
Fixture Only Amber Glass  
Reflector, Socket or Box Not Included


## HOSPITAL Flush Type CEILING ~ AND ~ WALL FIXTURES




R1097—Brass  
Finish F59 (Statuary Bronze)  
Type A for Shallow Slab  
Type B for Thick Slab  
12" x 5" Box Included in Price



R3698—1 Light  
Lumo-Vitro Enamel  
Fits Standard 4-Gang Switch  
Box 2 3/4" Deep  
Boxes Not Included in Price



R3962—Iron  
Lumo-Vitro Enamel  
R3963—Bronze  
Finish F59 (Statuary Bronze)  
Fits Standard 5-Gang  
Switch Box 2 3/4" Deep  
Boxes Not Included in Price



R1096—Steel  
Lumo-Vitro Enamel  
4" x 9" x 5 3/8" Box Included in Price



PATENT PENDING

TRADE-MARK REGISTERED



# IMPROVED INDUSTROLITES

QUICKLY INSTALLED ~ EASIER TO CLEAN ~ MORE EFFICIENT

**G**UTH Industrolites and Glass Steel Units are stamped from Armco Iron and finished with Guth exclusive Lumo-Vitro Enamel, fired on at 1,700° Fahrenheit. Lumo-Vitro Enamel finish is of vitreous glass material, non-porous, and its electrical insulation resists penetration up to 1,200 volts. This porcelain enamel, because of its smooth surface, not only facilitates cleaning but also serves as a light-ray diffuser; thus reducing glare and eye strain.

The high reflecting qualities of Lumo-Vitro Enamel are

widely recognized and accepted as standard for industrial use, both indoors and out.

The construction of the Guth Industrolite is rugged and durable and the unit is designed to give maximum light output.

The ease and quickness with which Guth Industrolites can be installed and the economy in maintenance make them ideal for Garages, Shops, Factories, Warehouses, Car Sheds, Parking Garages and other industrial plants where a large quantity of direct light is required.

## PRICED LOWER—GREATER VALUE


Because of large quantity production, Guth Industrolites and Glass Steel Units are priced lower. The quality of material and workmanship is of the highest type, thus greater value is offered in Guth Industrolites and Glass Steel Units than any other type of industrial lighting.



K1123—1 Light

Lumo-Vitro Enamel—Brown Outside, White Inside  
Threaded Copper Shell Socket Cover and 1/2" Coupling

Number	Skt.	Watts	Diam.	Price	Code
K1123	Med.	75-100	10"	\$3.85	Bole
K1124	Med.	150	13"	4.50	Boll
K1125	Med.	200	16"	5.60	Bolo
K1126	Mog.	300	16"	6.75	Bolz




K1127—1 Light

Lumo-Vitro Enamel—Brown Outside, White Inside

Number	Skt.	Watts	Diam.	Price	Code
K1127	Med.	75-100	10"	\$3.45	Bomb
K1128	Med.	150	13"	4.10	Bond
K1129	Med.	200	16"	5.20	Bone
K1130	Mog.	300	16"	6.75	Bonus

No. K3831 EXTENSION RING, for pull switch, furnished for MEDIUM SIZE Industrolites at \$0.50 List Additional. Extension Rings Regularly Furnished on MOGUL SIZE. TOGGLE SWITCH for above, \$1.50 List Additional.



K1142

3/8" Iron Pipe Goose Neck  
Extends 15"  
Sprayed Brown Finish  
Price, \$3.75 Code—Borax



K1144




K1143

K1143

3/8" Iron Pipe Stem with  
Slip Canopy and Hickey  
Length 48" O. A.  
Sprayed Brown Finish  
Price, \$2.50 Code—Bore

K1144

Reinforced Cord with  
4" Porcelain Box Cover  
Length 48" O. A.  
Price, \$1.25 Code—Boric



Entire Unit Can  
Be Unscrewed  
From Socket  
in Ten Seconds  
for Cleaning

## Installing Time Cut in Half

- 1-2—Stud cap and supporting screw with break-off every half inch makes it adaptable to deep or shallow boxes.
- 3—Levolier Switch of 660-watt capacity.
- 4—Threaded Ring for supporting extension ring to ceiling.
- 5—General Socket made of porcelain and threaded on outside to serve as a fixture support. Provides simplest means of removing entire fixture for cleaning.





PATENT PENDING

TRADE-MARK REGISTERED



# GLASS STEEL AND VAPORPROOF UNIT

THE most outstanding feature of the Guth Glass Steel Unit is the reduction of glare, both direct and reflected, and the softening of shadows. The apertures in neck of canopy allow enough light to be emitted to the ceiling so that the contrast of light below the reflector and above is softened. The pressed glass diffusing bowl is of highest efficiency. The opening in bottom of bowl allows cool air to circulate upward around the


lamp, increasing life of lamp and preventing dust from settling, also increases amount of direct downward rays.

The Guth Vapor-Proof Unit has lamp enclosed in a globe and holder as a protective means and both are large enough so that the heat from the lamp will be rapidly disseminated because of radiation.

The whole unit is rugged and weather-proof in construction.



K3725





K3726—Ceiling Glass Steel Industrolite  
Lumo-Vitro Enamel  
Brown Outside—White Inside

No.	Lts.	Skt.	Watts	Dia.	Guard	Glass	Price	Code
K3726	1	Med.	200	13"	G5884	G5872	\$10.50	Aere
K3728	1	Mog.	300-500	16"	G5886	G5874	13.35	Anno

K3725—Pendant Glass Steel Industrolite

No.	Skt.	Watts	Dia.	Guard	Glass	Price	Code
K3725	Med.	200	13"	G5884	G5872	\$10.90	Apas
K3727	Mog.	300-500	16"	G5886	G5874	13.75	Apied



RR3967—Bronze  
RR3966—No Guard



K3776—Vapor-Proof Industrolite  
Lumo-Vitro Enamel  
Brown Outside—White Inside

No.	Skt.	Watts	Diam.	Wire Grd.	Price	Code
K3775	Med.	100	10"	G6078	\$10.50	Abas
K3776	Med.	100	10"	No Guard	7.50	Abon
K3777	Med.	200	13"	G6079	12.60	Adie
K3778	Med.	200	13"	No Guard	9.00	Adrem
K3781	Mog.	300-500	16"	G6081	16.75	Adsum
K3782	Mog.	300-500	16"	No Guard	12.75	Aequo


Guard as shown below

RR3964  
Bronze

RR3965  
With  
Guard



- 1— $\frac{1}{2}$ " brass coupling.
- 2—General socket with  $\frac{3}{8}$ " cap. Approved 660-watt-capacity bronze binding terminals.
- 3—Screw and knurled nut provides simplest means of removing reflector for cleaning.
- 4—Threaded copper collar for tightly securing vapor-proof globe to reflector.
- 5—Reflector made of Armco Iron and finished with three coats of Lumo-Vitro Enamel—Brown outside and white inside.
- 6—Vapor-proof globe of clear glass.
- 7—Heavy-gauge wire guard electric welded and udylited. Can be instantly removed. No bothersome binding clamps.
- 8—Rubber gasket, making positively vapor-proof between compound parts of reflector.



Number	Watts	Globe	Guard	Price	Code
RR3964	50-100	Clear	No	\$11.50	Candor
RR3965	50-100	Clear	Yes	16.00	Canker
RR3966	50-100	Clear	No	8.00	Cannon
RR3967	50-100	Clear	Yes	12.75	Canter

The Guth Vapor-Proof Unit is especially adapted for use in Paint Manufactories, Gasoline Filling Stations, Garages, Power Plants, Grain Elevators, Dyeing and Cleaning Plants and other places where protective measures must be observed due to hazardous atmospheric conditions.

NO PACKAGE CHARGES — PRICES F. O. B. ST. LOUIS





# VAPOR-PROOF

PATE



Illustration shows the great volume of light produced and the focusing or concentration of this light on a 16-inch area of the operative field.


THE Guth Vapor-Proof Surgery-Lite was designed for safety as well as illumination. Safety from the hazards of explosions caused by the fumes of certain anæsthetics coming in contact with electric arcs or sparks. Safety from interruption of the operating illumination at a critical moment, caused by lamp burning out—Guth Vapor-Proof Surgery-Lite is equipped with nine standard lamps focusing a beam of light of over 300-candle intensity, and should any lamp burn out during operation surgeon can proceed, as Guth Surgery-Lite does not depend upon light from one lamp. The satisfaction of having a known quality and constant quantity of light at all times is one which cannot be fully appreciated by the surgeon until he works under the Guth Surgery-Lite.

**Adjustment** — All changes in light projection are made without moving table or patient. If the surgeon wants to change the angle of light it can be instantly adjusted to the desired position by nurse, who is at all times outside the sterile field. All that is necessary is to raise or lower either end of fixture or turn to right or left, which will change the beam of light to any location of operating field. Fixture is equipped with two Bakelite handles at either end, providing perfect electric insulation which prevents any static from arcs or ground.

Surgery-Lite R3973 is equipped with large reflectors to take standard A19 Edison Screw-Base Lamp, which is 115-volt, clear 36-watt, concentrated filament of rugged type. Surgery-Lites are equipped with four vapor-proof lamps in canopy for general room illumination.

Surgery-Lites R3968 and R3969 have five reflectors and of smaller spread, which is ideal for minor operating rooms.

NO ARC—NO HEAT  
NO GLARE—NO SHADOW



R3968—5 Lights  
Chromium Plated

Number	Reflector Lights	Canopy Lights	Spread	Lgth.	Price	Code
R3968	5	None	18" x 42"	60"	\$440.00	Cornel
R3969	5	4	18" x 42"	60"	485.00	Corral

A19—36-Watt Clear Lamp Furnished



R3971—  
Chromi

Number	Reflector Lights	Canopy Lights	Sockets
R3970	9	None	Bayonet
R3971	9	4	Bayonet

To be used on Alte  
No. 1134, 6-8-volt, 32-

NO PACKAGE CHARGES — PRICES F. O. B. ST. LOUIS



# SURGERY-LITE

PENDING

Surgery-Lites R3970 and R3971 are equipped with transformer in fixture canopy, transforming 110-volt alternating current to 6-volt to provide low voltage through the fixture wiring, sockets and lamps.

These conditions make it practical to place switch outside of operating room and in the event of interruption in the line service to throw over onto standard 6-volt storage battery, assuring light at all times.

The sockets are spring contact, bayonet type, and lamps are the most durable 6-volt, 32-candle-power concentrated filament type. They are sealed tight in reflector with special heat-resisting glass disc compressed with rubber gasket in a threaded flange.

Guth Vapor-Proof Surgery-Lites are made of cast and spun brass, finished in chromium plate.

All lamps are sealed tight in vapor-proof reflectors, assuring absolute safety when high explosive gases are used.

When ordering Surgery-Lites give height of ceiling and specify voltage, also whether alternating or direct current. Six-volt type fixture can be used on alternating current only.

Numbers R3968, R3970 and R3972 are not equipped with canopy lights.



Illustration shows how adjustment of Surgery-Lite can be made to concentrate beam of light on any part of operative field.



Lights  
Plated

Spread	Lgth.	Price	Code
36" x 66"	60"	\$640.00	Bonnie
36" x 66"	60"	685.00	Cheche

ong Current only  
Lamps Furnished



R3973—13 Lights  
Chromium Plated


Number	Reflector Lights	Canopy Lights	Spread	Lgth.	Price	Code
R3972	9	None	36" x 72"	60"	\$640.00	Coffer
R3973	9	4	36" x 72"	60"	685.00	Coffee

A19—36-Watt Clear Lamp Furnished

NO PACKAGE CHARGES — PRICES F. O. B. ST. LOUIS



## DIRECTIONAL SIGNS



Number	Lts.	Width	Ext.	Hgt.	Glass	Size	Letter	Price	Code
R1253	1	5"	3 3/4"	8 1/2"	G2883	2 3/4" x 8"	1 1/2"	\$11.00	Cheep

Number	Lts.	Width	Lgth.	Reading	Glass	Size	Letter	Price	Code
R1251	1	8 1/2"	30"	Single	G1530	8" x 4"	3"	\$13.00	Check
R1252	1	11"	30"	Single	G1532	10" x 8"	6"	20.00	Cheek
R3974	1	8 1/2"	30"	Double	G1530	8" x 4"	3"	19.50	Burbot
R3975	1	11"	30"	Double	G1532	10" x 8"	6"	30.00	Burgoo


Number	Width	Hgt.	Glass	Size	Letter	Guard	Recess Box	Price	Code
R3976	8 3/4"	4 3/4"	G1530	8" x 4"	3"	Yes	Included	\$18.00	Burrow
R3977	11"	8 3/4"	G1532	10" x 8"	6"	Yes	Included	27.00	Bustle
R3978	8 3/4"	4 3/4"	G1530	8" x 4"	3"	No	Included	13.00	Butter
R3979	11"	8 3/4"	G1532	10" x 8"	6"	No	Included	20.50	Bygone

Number	Lts.	Width	Hgt.	Ext.	Glass	Size	Letter	Guard	Price	Code
R3980	1	8 3/4"	4 3/4"	4"	G1530	8" x 4"	3"	Yes	\$15.25	Bypath
R3981	1	11"	8 3/4"	4 1/2"	G1532	10" x 8"	6"	Yes	23.50	Byplay
R3982	1	8 3/4"	4 3/4"	4"	G1530	8" x 4"	3"	No	10.25	Cactus
R3983	1	11"	8 3/4"	4 1/2"	G1532	10" x 8"	6"	No	17.25	Calash

Number	Lts.	Extend.	Glass	Size	Letter	Guard	Price	Code
R1254	1	9"	G1766	6" x 3 1/4"	2"	G3677	\$7.80	Chef

Number	Lts.	Width	Hgt.	Ext.	Glass	Number	Size	Letter	Price	Code
R3984	1	7"	5 1/2"	4 3/4"	Green	G5682	5" x 5"	4"	\$13.50	Callow
R3985	1	8 1/4"	7 1/2"	5 1/2"	Green	G5683	6" x 7"	6"	15.50	Camera
R3986	1	7"	5 1/2"	4 3/4"	Ruby	G5686	5" x 5"	4"	12.40	Campus
R3987	1	8 1/4"	7 1/2"	5 1/2"	Ruby	G5687	6" x 7"	6"	14.20	Canard


R3976—Brass  
Finish F59 (Statuary Bronze)  
Guard Cast Brass  
Ruby Glass—White Letters



R3980—Brass  
Finish F59 (Statuary Bronze)  
Guard Cast Brass  
Ruby Glass—White Letters




R1253—Brass  
Finish F59  
(Statuary Bronze)  
Ruby Glass—  
White Letters



R1254—Brass  
Finish F59 (Statuary Bronze)  
Guard Galvanized  
Ruby Glass—White Letters



R1251—Brass  
Finish F59 (Statuary Bronze)  
Ruby Glass—White Letters



R3984—Brass  
Finish F59 (Statuary Bronze)  
Ruby or Green Glass—White Letters



## DIRECTIONAL SIGNS

Number	Lts.	Material	Glass	Size	Letter	Price	Code
R1255	1	Brass	G1533	6 x 3 1/4	3"	\$7.30	Chef
R1260	1	Brass	G 594	6 x 3 1/4	2"	3.80	Chide
R1261	1	Brass	G2763	6 x 3 1/4	3"	5.85	Chief
R1262	1	Brass	G2763	6 x 3 1/4	3"	9.35	Chilo
R3389	1	Lumo-Vitro	G2763	6 x 3 1/4	3"	6.75	Hulk
R3390	1	Lumo-Vitro	G4241	5 1/4 x 3 1/4	2 3/4"	5.20	Humid
R3391	1	Lumo-Vitro	G4665	5 1/4 x 3 1/4	2 3/4"	5.20	Hurl
R3392	1	Lumo-Vitro	G4664	5 1/4 x 3 1/4	2 3/4"	5.20	Jalap


All exit balls are made in ruby or green glass. Ruby glass will be shipped unless specified GREEN.




R1261—Brass  
Finish F59 (Statuary Bronze)  
Ruby Glass, Raised  
Ruby Letters on Black Panel  
Word Exit on 3 Sides



R1260—Brass  
Finish F59 (Statuary Bronze)  
Ruby Glass—White Letters




R1255—Brass  
Finish F59 (Statuary Bronze)  
Ruby Glass—White Letters



R1262—Brass  
Finish F59 (Statuary Bronze)  
Ruby Glass, Raised  
Ruby Letters on Black Panels  
Word Exit on 3 Sides



R3390  
Lumo-Vitro Enamel  
Antique Bronze  
Ruby Glass—Black Letters



R3392  
Lumo-Vitro Enamel  
Antique Bronze  
Ruby Glass—Black Letters



R3391  
Lumo-Vitro Enamel  
Antique Bronze  
Ruby Glass—Black Letters



R3389  
Lumo-Vitro Enamel  
Antique Bronze  
Ruby Glass, Raised  
Ruby Letters on Black Panel  
Word Exit on 3 Sides



# ONE-PIECE LUMO-VITRO ENAMELED



## GUTH FLANGE

Patent No. 1715769

Double Reflecting Surface

### STANDARD FINISHES

White, Ivory, Black and  
Antique Bronze

**Note**—If other colors are desired, write for special prices, which will be based upon quantity required.

### Superiorities Not Illustrated on Cross Section

Non-vibrating . . . Self-adjusting  
. . . Dustproof. No visible  
screws.


Globe applied or removed in an  
instant for cleaning or relamp-  
ing.

Made of Armco Rust-resisting  
Iron with permanent Lumo-  
Vitro enamel finish.

Our heavy Lumo-Vitro enamel is  
vitreous glass material, is non-  
porous, and its electrical insula-  
tion resists penetration up to  
1,200 volts.

Very efficient; lasts forever.

Number	Lts.	Socket	Diam.	Holder	Price	Code
K1163	1	Med.	6	3 1/4	\$2.40	Brave
K1164	1	Med.	7 1/2	4	2.50	Brawn
K1165	1	Med.	8 1/2	5	2.80	Bray
K1166	1	Med.	10	6	3.10	Braze
K1167	1	Mog.	10	6	3.55	Bread
K3395	2	Med.	10	6	4.10	Nard



1—Patented spring key for engaging or releasing glass.  
The spring action of the key allows for expansion of  
glass; thus reducing breakage to a minimum.

2—Two (2) lips for holding glass.

3—Everlasting bronze spring governing key which  
holds glass.

4—A 3/8-in. wood knockout for switch.

5—White Lumo-Vitro enamel surface inside glass in-  
sures maximum light on the working plane.

6—Lumo-Vitro enamel reflector surface outside the  
glass insures efficient distribution of light.

7—Patented Guth General socket furnished with 3/8-in.  
extension nipple to attach to fixture stud of proper  
length when outlet box is flush with ceiling.

8—Lock ring for locking flange to socket; slip flange  
over socket and screw on lock ring.

9—A 3/8" knockout in reflector so that gas pipes in old  
buildings will not hinder installation.





# SAFETY HOLDER

U. S. Pat. No. 1710730

No Set Screws



R3399—1 Light  
Steel

Finish F59 (Statuary Bronze)  
Two-Piece Holder With Ornamental Band


Number	Skt.	Fitter	Price	Code
R3399	Med.	4"	\$2.45	Peart
R3400	Med.	5"	2.55	Pend
R3401	Med.	6"	2.75	Pert
R3402	Mog.	6"	3.30	Pitch



R3403—1 Light  
Steel

Finish F59 (Statuary Bronze)  
Plain Two-Piece Holder

Number	Skt.	Fitter	Price	Code
R3403	Med.	4"	\$1.80	Plash
R3404	Med.	5"	1.90	Plat
R3405	Med.	6"	2.10	Pleb
R3406	Mog.	6"	2.65	Plod



Cross Section Guth  
Screwless Safety Holder

## Easiest Two-Piece Holder to Install

MOST SIMPLE AND ATTRACTIVE HOLDER MADE

### THE DESIGN

The New Guth Screwless Safety Type Holders are made in both Ceiling and Suspension Type in 4", 5" and 6" fitter to accommodate all sizes of lamps up to and including 500 watts. Made in both plain and ornamental designs.

### THE SAFETY

Tipping an external ring slightly allows glass to slip into the holder, which has two flexible metal lugs properly shaped to fit contour of glassware.


The Safety Ring, which has one flexible metal lug, is then allowed to slip back into place and glassware is automatically centered and secure and needs no locking device as many safety holders require.

It is impossible to cause any breakage of glass by reason of expansion, as there is no binding upon glassware.

### THE CONSTRUCTION

Ceiling Type is made of 22-gauge B. & S. sturdy cold rolled steel, udylite plated. The patented Guth Socket is furnished with  $\frac{3}{8}$ " extension piece to connect direct to fixture stud. Fitter is then screwed onto threaded fixture supporting socket. All installation parts entirely concealed within the base.

Suspension type is made of same gauge steel and fitted with patented Guth Socket. Canopy is furnished with stamped steel bridge which can be screwed to ears of any standard outlet box or can be connected to fixture stud by means of coupling. Both fittings are furnished with each fixture. Knock-outs in both ceiling flange and canopies for switches.




R3407  
Steel

Finish F59 (Statuary Bronze)  
Length 36" O. A.

Number	Skt.	Fitter	Price	Code
R3407	Med.	4"	\$3.85	Poach
R3408	Med.	5"	3.95	Pod
R3409	Med.	6"	4.15	Poem
R3410	Mog.	6"	4.70	Posey

Additional Length, \$0.35 Per Foot List



R3411  
Steel

Finish F59 (Statuary Bronze)  
Length 36" O. A.

Number	Skt.	Fitter	Price	Code
R3411	Med.	4"	\$3.20	Poet
R3412	Med.	5"	3.30	Poi
R3413	Med.	6"	3.50	Polka
R3414	Mog.	6"	4.05	Poll

Additional Length, \$0.35 Per Foot List

Glassware for Above  
Safety Holders Illustrated  
on Pages 25, 26 and 27

Plain Screw Type Holders  
Illustrated on  
Page 32



R1208—1 Light  
One-Piece Flange  
White Lumo-Vitro Enamel  
Polycased Glass

Number	Skt.	Watts	Glass	Size	Price	Code
R1208	Med.	75-100	G3321	8" x 4"	\$ 5.35	Butt
R1209	Med.	150-200	G2624	10" x 5"	7.20	Buxe
R1210	Med.	200	G2625	13" x 6"	12.40	Buzz
R1211	Mog.	300-500	G2625	13" x 6"	12.85	Bylaw

R1212—Celestialite Glass

Number	Skt.	Watts	Glass	Size	Price	Code
R1212	Med.	75-100	G3322	8" x 4"	\$ 8.90	Byway
R1213	Med.	150-200	G2621	10" x 5"	12.05	Calve
R1214	Med.	200	G2622	13" x 6"	18.60	Calx
R1215	Mog.	300-500	G2622	13" x 6"	19.05	Caret

R4038—Silvagio (White) Glass

Number	Skt.	Watts	Glass	Size	Price	Code
R4038	Med.	75-100	G6283	8" x 4"	\$ 4.50	Arabic
R4039	Med.	150-200	G6284	10" x 5"	6.00	Arable
R4040	Med.	200	G6285	13" x 6"	10.20	Artic
R4041	Mog.	300-500	G6285	13" x 6"	10.65	Belate

R4009—1 Light  
One-Piece Flange  
White Lumo-Vitro  
Silvagio (White) Glass

Number	Skt.	Watts	Glass	Size	Price	Code
R4009	Med.	75-100	G6267	10" x 4"	\$ 4.10	Beldam
R4010	Med.	100-150	G6268	12" x 5"	6.60	Belfry
R4011	Med.	200	G6269	14" x 6"	8.25	Belike
R4012	Mog.	300	G6270	16" x 6"	10.65	Bellow
R4013	Mog.	500	G6271	18" x 6"	15.35	Belong

R4014—Silvagio (White) Glass  
With Tan Stripes

Number	Skt.	Watts	Glass	Size	Price	Code
R4014	Med.	75-100	G6272	10" x 4"	\$ 5.95	Benign
R4015	Med.	100-150	G6273	12" x 5"	8.75	Benumb
R4016	Med.	200	G6274	14" x 6"	11.55	Beseem
R4017	Mog.	300	G6275	16" x 6"	14.65	Betake
R4018	Mog.	500	G6276	18" x 6"	20.95	Betide

R4019—Polycased Glass

Number	Skt.	Watts	Glass	Size	Price	Code
R4019	Med.	75-100	G6278	10" x 4"	\$ 5.60	Betook
R4020	Med.	100-150	G6279	12" x 5"	8.90	Bewail
R4021	Med.	200	G6280	14" x 6"	10.90	Biceps
R4022	Mog.	300	G6281	16" x 6"	13.95	Bicker
R4023	Mog.	500	G6282	18" x 6"	25.15	Billet

R3385—1 Light  
White or Antique Bronze Lumo-Vitro Enamel  
Radiant Glass

Number	Diam.	Depth	Glass	Size	Price	Code
R3385	11 1/4"	4 1/2"	G1751	8"	\$10.40	Lucid
R3386	13 1/4"	5 1/2"	G1752	10"	12.66	Lurid
R3387	15 1/2"	6 1/4"	G1753	12"	16.50	Mere
R3388	18"	6 3/4"	G1754	14"	23.00	Merge

Equipped with Two Sockets, \$1.50 List Additional

R3382—1 Light  
One-Piece Flange  
White Lumo-Vitro Enamel  
Radiant Glass Ball

Number	Skts.	Watts	Glass	Size	Price	Code
R3382	Med.	75-100	G1050	8" x 4"	\$4.15	Larch
R3383	Med.	100-150	G1050	10" x 5"	5.95	Loft
R3384	Med.	150-200	G1050	12" x 6"	8.05	Lope

R1149—1 Light  
One-Piece Flange  
White Lumo-Vitro Enamel  
Opal Glass

Number	Skts.	Watts	Glass	Size	Price	Code
R1149	Med.	75-100	G2141	7" x 4"	\$4.00	Botch
R1150	Med.	150-200	G2142	9" x 5"	4.95	Bough
R1151	Med.	200	G2143	11" x 6"	6.45	Bout
R1152	Mog.	300-500	G2143	11" x 6"	6.90	Bower

## ONE-PIECE FLANGE AND SAFETY HOLDERS



K2998  
White Holder  
and Glass  
Packed One Complete Unit in Carton

K3600  
Ivory Holder  
and Glass



K2997  
Ivory Holder  
and Glass  
Packed One Complete Unit in Carton

K3601  
White Holder  
and Glass

Number	Ceiling Diam.	Glass	Size	Price	Code
K2998	7½" O. A.	G3073	9" x 4"	\$4.25	Mulch
K3600	7½" O. A.	G4505	9" x 4"	4.25	Wry

Number	Ceiling Diam.	Glass	Size	Price	Code
K2997	7½" O. A.	G4178	9" x 4"	\$4.55	Midge
K3601	7½" O. A.	G4213	9" x 4"	4.25	Writ

R4024—1 Light  
One-Piece Flange  
White Lumo-Vitro Enamel  
Decorated Galax Glass

Number	Skt.	Holder	Watts	Glass	Size	Price	Code
R4024	Med.	4"	75-100	G5550	8" x 4"	\$ 7.35	Brooch
R4025	Med.	5"	150-200	G5551	12" x 5"	12.35	Browse
R4026	Mog.	6"	300	G5552	14" x 6"	15.90	Bruise
R4027	Mog.	6"	500	G6317	16" x 6"	21.25	Bucket

Plain Galax Glass

Number	Skt.	Holder	Watts	Glass	Size	Price	Code
R4028	Med.	4"	75-150	G5547	8" x 4"	\$ 4.80	Crater
R4029	Med.	5"	200	G5548	12" x 5"	9.00	Cravat
R4030	Mog.	6"	300	G5549	14" x 6"	12.25	Craven
R4031	Mog.	6"	500	G6316	16" x 6"	16.25	Creche

R1237—Brass—Safety Holder  
Finish F59 (Statuary Bronze)

Number	Skt.	Watts	Glass	Size	Price	Code
R1237	Med.	75-100	G3722	8" x 4"	\$3.90	Chaff
R1238	Med.	150	G3723	12" x 5"	6.05	Critic
R1239	Med.	200	G3724	14" x 6"	7.70	Chair
R1240	Mog.	300	G3724	14" x 6"	8.20	Chalk

R1233—Brass—Safety Holder  
Finish F59 (Statuary Bronze)

Number	Skt.	Watts	Glass	Size	Price	Code
R1233	Med.	75-100	G3726	8" x 4"	\$5.40	Cell
R1234	Med.	150	G3727	12" x 5"	7.20	Celt
R1235	Med.	200	G3728	14" x 6"	9.45	Cent
R1236	Mog.	300	G3728	14" x 6"	9.95	Chafe




R4051—1 Light  
Reflector Lumo-Vitro  
White With Outer Edge Ivory  
Plain Galax Glass

Number	Skt.	Holder	Watts	Diam.	Glass	Size	Price	Code
R4051	Med.	4"	75-100	12½"	G5547	8" x 4"	\$ 6.85	Creese
R4052	Med.	5"	150-200	17"	G5548	12" x 5"	11.50	Creole
R4053	Mog.	6"	300	21"	G5549	14" x 6"	16.10	Crewel
R4054	Mog.	6"	500	21"	G6316	16" x 6"	20.10	Cringe


## GUTH GALAX UNIT

Design and Holder Patented



Guth Galax Unit, a combination of the new Galax Glass and a Lumo-Vitro Enameled Reflector, produces an abundance of well-diffused light on the working plane . . . Galax Glass is both glareless and shadowless. Part of the light from Guth Galax is diffused and transmitted through the bottom of the globe. The rest of the light is reflected back through the sides and reflected from the perfectly glazed Lumo-Vitro enameled reflector, which directs all of the useful light to the working plane.







Radiant Glass

G5645—10" x 8" x 4"  
G5646—12" x 10" x 6"  
G5647—14" x 12" x 6"  
G5648—16" x 13" x 6"  
G5808—16" x 13" x 8"

Prices on Page 37



R4055—1 Light  
Safety Holder  
Finish F59  
(Statuary Bronze)




R4063—1 Light  
Finish F708  
(Antique Pewter and Gold)



R1338—1 Light  
Safety Holder  
Finish F59  
(Statuary Bronze)



H4059—1 Light  
Reflector—Lumo-Vitro  
Chain Statuary Bronze



R1334—1 Light  
Safety Holder  
Finish F59  
(Statuary Bronze)

Number	Skt.	Watts	Lgth.	Glass	Size	Price	Code
R1334	Med.	75-100	48"	G3074	10" x 4"	\$ 6.05	Cloy
R1335	Med.	150	48"	G3078	12" x 5"	7.75	Club
R1336	Med.	200	48"	G3077	14" x 6"	9.50	Clue
R1337	Mog.	300	48"	G3079	16" x 6"	12.10	Clung

Additional Length, \$0.35 Per Foot List

R1338	Med.	75-150	48"	G3818	10" x 4"	6.05	Coach
R1339	Med.	150	48"	G3820	12" x 5"	7.75	Coal
R1340	Med.	200	48"	G3822	14" x 6"	9.50	Coast
R1341	Mog.	300	48"	G3823	16" x 6"	12.10	Coat

Additional Length, \$0.35 Per Foot List

R4055	Med.	75-100	48"	G5876	8" x 4"	5.70	Croton
R4056	Med.	150-200	48"	G5877	12" x 5"	8.35	Crouch
R4057	Mog.	300	48"	G5878	14" x 6"	10.75	Crunch
R4058	Mog.	300-500	48"	G6335	16" x 6"	12.75	Crural

Additional Length, \$0.35 Per Foot List

H4059	Med.	75-100	48"	G5876	8" x 4"	\$ 7.00	Cudgel
H4060	Med.	150-200	48"	G5877	12" x 5"	10.50	Cunner
H4061	Mog.	300	48"	G5878	14" x 6"	14.00	Curacy

Additional Length, \$0.35 Per Foot List


R4062	Med.	75-150	48"	G5638	6" x 9" x 4"	\$13.65	Curate
R4063	Med.	150	48"	G5639	8" x 12" x 4"	16.30	Curtsy
R4064	Med.	200	48"	G5640	10" x 16" x 6"	19.40	Curvet
R4065	Mog.	500	48"	G5641	12 1/2" x 20" x 8"	34.05	Cutlas

Additional Length, \$0.75 Per Foot List

Number	Socket	Length	Glass	Size	Price	Code
R1139	Keyless	48"	G1382	6 1/4" x 2 1/4"	\$4.30	Booth
R1140	Keyless	48"	G1704	Wire Guard	3.85	Booty
R1141	Keyless	48"	.....	Without Guard	1.75	Booze


Number	Lts.	Socket	Ext.	Hgt.	Reflector	Size	Price	Code
R1287	2	Pull	10 1/2"	24"	Alum. Lined	15" x 3 3/4"	\$31.25	Cigar
R1288	1	Key	....	16"	G1674	7"	7.90	Cilia
R1289	1	Key	....	16"	G1674	7"	8.45	Cinch
R1290	1	Key	....	16"	G1674	7"	8.45	Cist
R1291	1	Key	....	16"	G1674	7"	9.00	City
R1295	1	Pull	....	15 1/2"	G3866	9" x 5 1/4"	15.00	Clack
R1296	1	Pull	....	15 1/2"	G3866	9" x 5 1/4"	15.00	Clad

Number	Lts.	Socket	Extend.	Shade	Size	Price	Code
R1292	1	Key	8 1/4"	G 355	6" x 2 1/4"	\$ 4.75	Civet
R1294	1	Key	9"	G1382	6 1/4" x 2 1/4"	5.50	Civil
R4043	1	Pull	9"	G5253	5 1/2"	12.00	Bunker




R1295—1 Light  
Lumo-Vitro Shade  
F142 (Olive Green)

R1296—1 Light  
F485 (Bank Bronze)




R1287—2 Lights  
Brass  
F59 (Statuary Bronze)



R1139—1 Light  
Brass  
F59 (Statuary Bronze)



R1140  
Reinforced Cord  
R1141  
Without Guard



R1294—1 Light  
Brass  
F59 (Statuary Bronze)



R4043—1 Light  
Brass  
F59 (Statuary Bronze)



R1288—1 Light  
Brass  
F22 (Brushed Brass)  
R1289—1 Light  
F59 (Statuary Bronze)



R1290—1 Light  
Brass  
F22 (Brushed Brass)  
R1291—1 Light  
F59 (Statuary Bronze)



R1292—1 Light  
Brass  
F59 (Statuary Bronze)








R1297—2 Lights  
Finish F391 (Bank Bronze)  
Extends 12" O. A. Reflector 12" O. A.  
Rippled Aluminum Lined  
Ground Glass Diffusing Panel  
Twin Pull Socket  
Price, \$22.50 Code—Claim



R1307—Copper R1308—Steel  
Height, 4 $\frac{3}{4}$ " O. A. Extends 6" O. A.  
Finish—Copper, F391 (Bank Bronze)  
Finish—Steel, F485 (Sprayed Bank Bronze)  
Ground Glass Diffusing Panel  
Polished Rippled Aluminum Lined  
Removable Door—Twin Pull Socket  
18" Length or Less  
R1307—\$22.50 Code—Clave  
R1308—17.00 Code—Claw  
Sections 2 feet to 8 feet  
Per Foot or Fraction Thereof  
Copper—\$13.50 Steel—\$10.25  
Mitered Joint, \$5.00 Each Extra




R1301—Copper R1302—Steel  
Height 3 $\frac{3}{4}$ " O. A. Extends 4 $\frac{7}{8}$ " O. A.  
Finish—Copper, F391 (Bank Bronze)  
Finish—Steel, F485 (Sprayed Bank Bronze)  
Ground Glass Diffusing Panels  
Polished Rippled Aluminum Lined  
Removable Door  
18" Length or Less—Twin Pull Socket  
R1301—\$25.00 Code—Clang  
R1302—18.75 Code—Clank  
Sections 2 feet to 8 feet  
Per Foot or Fraction Thereof  
Copper—\$15.00 Steel—\$11.25  
Mitered Joint, \$5.00 Each Extra




R1299—Copper R1300—Steel  
Height 6 $\frac{3}{4}$ " O. A. Extends 4 $\frac{1}{4}$ " O. A.  
Finish—Copper, F391 (Bank Bronze)  
Finish—Steel, F485 (Sprayed Bank Bronze)  
Ground Glass Diffusing Panels  
Polished Rippled Aluminum Lined  
Removable Front  
Lower Light Pull Twin Socket  
Upper Keyless Twin Socket  
Sections 2 feet to 8 feet  
Per Foot or Fraction Thereof  
R1299—\$22.50 Code—Clamp  
R1300—17.00 Code—Clan  
Mitered Joint, \$7.50 Each Extra




R1298—1 Light  
Finish F391 (Bank Bronze)  
Extends 10" O. A. Reflector 9" O. A.  
Reflector Lumo-Vitro  
Brown Outside, White Inside  
Pull Socket  
Price, \$11.25 Code—Clam



R1303—Copper R1304—Steel  
Height 3 $\frac{1}{2}$ " O. A. Extends 4" O. A.  
Finish—Copper, F391 (Bank Bronze)  
Finish—Steel, F485 (Sprayed Bank Bronze)  
Ground Glass Diffusing Panel  
Twin Pull Socket  
Polished Rippled Aluminum Lined  
Removable Door  
18" Length or Less  
R1303—\$18.75 Code—Clap  
R1304—14.25 Code—Clash  
Sections 2 feet to 8 feet  
Per Foot or Fraction Thereof  
Copper—\$11.25 Steel—\$8.45  
Mitered Joint, \$5.00 Each Extra



R1305—Copper R1306—Steel  
Height 3 $\frac{1}{2}$ " O. A. Extends 4" O. A.  
Finish—Copper, F391 (Bank Bronze)  
Finish—Steel, F485 (Sprayed Bank Bronze)  
Ground Glass Diffusing Panels  
Polished Rippled Aluminum Lined  
Removable Door  
18" Length or Less—Twin Pull Socket  
R1305—\$18.75 Code—Clasp  
R1306—14.25 Code—Class  
Sections 2 feet to 8 feet  
Per Foot or Fraction Thereof  
Copper—\$11.25 Steel—\$8.45  
Mitered Joint, \$5.00 Each Extra



**R1317**

For Wood Frame Cases  
Height  $2\frac{3}{8}$ " O. A. Extends  $2\frac{1}{2}$ " O. A.  
Finish F59 (Statuary Bronze)  
Attached to Frame With Wood Screws  
Takes Standard Medium Base Tubular Lamp  
Per 18" Section or Fraction Thereof  
Price, \$10.75 Code—Click  
 $\frac{3}{4}$ " Brass Tube Conduit, \$0.40 Extra Per Foot

## SHOW CASE LIGHTING MADE OF BRASS


For Churches, Banks, Show Windows,  
Theatres and Auditoriums

All units shown (except R1313 and R1317) are made of steel—copper plated.

Reflectors are lined with rippled polished bitannic aluminum.


Fixtures are completely wired with No. 14 asbestos covered wire. Sufficient wire is left protruding to permit connection to house wires or adjoining section.

Feed wires not included.




**R1313**

For Glass Cases  
Height  $2\frac{3}{4}$ " O. A. Extends  $2\frac{1}{2}$ " O. A.  
Finish F59 (Statuary Bronze)  
Metal Clips for Fastening Included  
Takes Standard Medium Base Tubular Lamp  
Per Foot or Fraction Thereof  
Price, \$6.25 Code—Clef




**R1311**

For Almost Vertical Illumination  
Height  $6\frac{3}{8}$ " O. A. Extends  $4\frac{3}{4}$ " O. A.  
Twin Keyless Porcelain Sockets  
Spaced 24" Centers  
Metal Clips Included for Fastening Unit  
Per Foot or Fraction Thereof  
Price, \$5.40 Code—Clear




**R1312**

For 45-Degree Angle Illumination  
Height  $6\frac{3}{8}$ " O. A. Extends  $4\frac{3}{4}$ " O. A.  
Twin Keyless Porcelain Sockets  
Spaced 24" Centers  
Metal Clips Included for Fastening  
Per Foot or Fraction Thereof  
Price, \$5.40 Code—Cleft



**R1314**


Height  $6\frac{3}{8}$ " O. A. Extends  $6\frac{3}{8}$ " O. A.  
Keyless Porcelain Sockets  
Spaced on 12" Centers  
Clips and Jack Chain Included  
Pipe Support Not Furnished  
Per Foot or Fraction Thereof  
Price, \$6.75 Code—Cleft  
Extra Socket on Same Circuit, \$0.50 Additional  
Extra Socket on Extra Circuit, \$0.80 Additional



**R1309**


Height  $5\frac{1}{4}$ " O. A. Extends  $5\frac{1}{4}$ " O. A.  
Finish F59 (Statuary Bronze)  
Fastened With Wood Screws  
Diffusing Glass Plate  
Twin Keyless Porcelain Sockets  
Spaced 24" Centers  
Per Foot or Fraction Thereof  
Price, \$8.45 Code—Clay

## PROSCENIUM AND BORDER LIGHTS



**R1315**


Height 9" O. A. Extends 5" O. A.  
Keyless Porcelain Sockets  
Spaced 12" Centers  
Metal Clips Included for Fastening Unit  
Per Foot or Fraction Thereof  
Price, \$5.65 Code—Clerk  
Extra Socket on Same Circuit, \$0.50 Each Additional  
Extra Socket on Extra Circuit, \$0.80 Each Additional



**R1310**

Built-in Foot Light  
Height  $8\frac{1}{4}$ " O. A. Width  $20\frac{1}{4}$ " O. A.  
Galvanized Iron Sprayed Aluminum  
Keyless Porcelain Sockets  
Spaced on 4" Centers  
Made in Straight Sections  
Standard Length 48" Wired Three Circuits  
Price, Per Section, \$30.00 Code—Clean  
Additional Foot or Fraction, \$7.50


## FOOT LIGHTS



**R1316**


Portable Floor Light  
Finish F59 (Statuary Bronze)  
Height 7" O. A. Extends 6" O. A.  
Keyless Porcelain Sockets  
Spaced 12" on Centers  
Per Foot or Fraction Thereof  
Price, \$5.65 Code—Clew






W4068—1 Light  
Fixture Lumo-Vitro Enamel  
Guard Galvanized

Number	Skt.	Diam.	Lgth.	Guard	Glass	Size	Price	Code
W4068	Med.	16"	13"	G3679	G4876	7"	\$13.60	Antler
W4069	Med.	20"	17½"	G3681	G4882	9½"	18.60	Apathy
W4070	Mog.	24"	21½"	G3676	G4888	12"	26.90	Apiary




R1196—1 Light  
Fixture White Lumo-Vitro Enamel  
Guard Galvanized

Number	Skt.	Diam.	Lgth.	Guard	Glass	Size	Price	Code
R1196	Med.	14"	12½"	G3678	G2146	10" x 4"	\$10.20	Buoy
R1197	Med.	16"	13"	G3679	G2145	12" x 5"	12.85	Burly
R1198	Med.	18"	15"	G3680	G2144	14" x 6"	16.10	Burn
R1199	Mog.	18"	15"	G3680	G2144	14" x 6"	16.55	Burr




K1207  
Fixture Lumo-Vitro Enamel  
Guard Galvanized

Number	Socket	Diam.	Guard	Price	Code
K1207	Med.	6"	G1735	\$6.00	Busy



G6368  
Galvanized Guard Only


Number	Inside Diam.	Fits Reflectors	Price	Code
G6368	10"	K1123 and K1127	\$3.40	Clinch
G6369	13"	K1124 and K1128	3.70	Clique
G6370	16"	K1125 and K1129	4.50	Cloven



K1204  
Fixture Lumo-Vitro Enamel  
Guard Galvanized

Number	Skt.	Diam.	Guard	Shade	Size	Price	Code
K1204	Med.	14"	G3678	G975	8" x 2¼"	\$ 9.45	Bush
K1205	Med.	14"	G3678	G976	9" x 2¼"	9.70	Buss
K1206	Med.	16"	G3679	G977	10" x 2¼"	10.80	Bust

Shade White Inside—Brown Outside



G3680—18"  
Heavy-Gauge Galvanized Guard  
⅛" x 1" Iron Ceiling Ring Independent of Guard  
Guard Attached to Band by Clamps and Wing Nuts

Number	Outside		Inside		Price	Code
	Diam.	Depth	Diam.	Depth		
G3677	12"	9 $\frac{1}{2}$ "	10"	9"	\$ 5.15	Agnail
G3678	14"	12 $\frac{1}{2}$ "	12"	11 $\frac{1}{2}$ "	6.00	Agoing
G3679	16"	13"	14"	12 $\frac{1}{2}$ "	6.60	Airing
G3680	18"	15"	16"	14 $\frac{1}{4}$ "	8.30	Albino
G3681	20"	17 $\frac{1}{2}$ "	18"	16 $\frac{1}{2}$ "	9.20	Alpine
G3682	22"	19"	20"	18"	11.40	Amazon
G3676	24"	21 $\frac{1}{2}$ "	22"	21"	14.00	Amerce

G6297  
Extra Heavy Gymnasium Guard  
Made of ½" x ⅛" Strap Iron, Riveted  
Udylite Finish

Number	Inside Measurements			Price	Code	
	Diam.	Depth	Bottom Opening			
G6297	14"	12 1/2"	4"	Diam.	\$15.25	Animal
G6298	16"	14 1/2"	4 3/4"	Diam.	18.00	Animus
G6299	18"	16 1/2"	5 1/4"	Diam.	20.50	Anoint
G6300	20"	18"	6 3/4"	Diam.	27.00	Anthem

NO PACKAGE CHARGES — PRICES F. O. B. ST. LOUIS



R4032—1 Light  
Finish F694 (Satin Pewter)

Number	Diam.	Glass	Size	Price	Code
R4032	12½"	G5129	8" x 2¼"	\$9.00	Bullet

Blue Etched Decorated Glass



R3039—1 Light  
Finish F640 (Egyptian Gold)

Number	Skt.	Watts	Spd.	Lgth.	Glass	Size	Price	Code
R3039	Pull	100-200	14½"	48"	G3611	9" x 5"	\$8.00	Buffer

Aristolites are equipped with convenience outlet in center of bottom, concealed by a detachable ornament when not in use. Gives soft, mellow light. Electrical test shows 84 per cent light output.



E3419—1 Light  
Finish F59 (Statuary Bronze)

Number	Lts.	Spread	Lgth.	Glass	Color	Price	Code
R3035	3	17½"	48"	G3745	White	\$13.75	Bisect
R3036	4	17½"	48"	G3745	White	16.90	Bisque
R3037	5	20"	48"	G3745	White	20.00	Bitten
R4035	3	17½"	48"	G3747	Ivory	13.75	Bitter
R4036	4	17½"	48"	G3747	Ivory	16.90	Blanch
R4037	5	20"	48"	G3747	Ivory	20.00	Blench

Number	Watts	Lgth.	Glass	Size	Price	Code
E3419	75-150	13½"	G1060 Plain	12"	\$6.50	Spice
			G1122 Plain	6"		
E4042	75-150	13½"	G1060 Plain	12"	7.00	Bungle
			G1126 Etched	6"		

## MAZE - LITE

U. S. Pat. No. 1630004



M1364—1 Light  
Finish F206 (Ivory and Polychrome)

Number	Watts	Diam.	Glass	Size	Price	Code
M1364	100-150	12½"	G2275	6¼"	\$8.00	Conic

## ARISTOLITE

U. S. Pat. No. 16165



R3034  
Cast Aluminum



R3036—4 Lights  
Cast Aluminum  
Finish F639 (Polished Pewter and Gold)

Number	Lts.	Glass	Color	Price	Code
R3034	1	G3745	White	\$6.00	Bummer
R4033	1	G3747	Ivory	6.00	Bumper

Equipped with Switch and Convenience Outlet




## GENERAL SOCKET

The General Socket fits any standard outlet box and provides permanent approved fixture support for such fixtures as Industrolites, Glass Steel, Vapor-Proof and Galax Units, One-Piece Flange, Safety Holders and Brascolites.

The Socket connected to each box provides electric service during construction of building for polishing and sanding machines, etc., and it costs no more than any standard porcelain socket.

Any fixture manufacturer's fixture can be attached to General Socket by Fixture Locking Ring R4066 Medium and R4067 Mogul (shown at right). Diameter of hole required in fixture for Medium Socket, 1 3/4", for Mogul Socket, 2 1/2".



Number	Skt.	Price	Number	Skt.	Price
R3738	Med.	\$0.55	R3740	Mog.	\$1.00

Same as R3738 and R3740, Without Screw and Extension Piece Nos. 1 and 2

Number	Skt.	Price	Number	Skt.	Price
R3739	Med.	\$0.50	R3741	Mog.	\$0.95


Same as R3738 and R3740, Including Udylyte-Plated Box Cover, 4 3/8" Diameter

Number	Skt.	Price	Number	Skt.	Price
R3734	Med.	\$0.75	R3736	Mog.	\$1.20

Same as R3734 and R3736, Without Screw and Extension Piece Nos. 1 and 2


Number	Skt.	Price	Number	Skt.	Price
R3735	Med.	\$0.70	R3737	Mog.	\$1.15

R4066	Medium Socket Locking Ring	List \$0.07
R4067	Mogul Socket Locking Ring	List 0.12



## The General Socket

- 1—Steel Screw with breakoffs every 1/2 inch.
- 2—Fixture Stud Coupling.
- 3—Bridge and Screw Slots for standard box cover ears.
- 4—Threaded Insulated Socket. Approved 660-watt. Capable of supporting 100 pounds.
- 5—Two 6-inch Stranded Polarized Wires included but not attached to terminal screws.



R3994  
Finish F731  
(Flemish Pewter)

R4000  
(Statuary Bronze)

### Slip Canopy—Ventilated Holder

Number	Socket	Fitter	Price	Code
R3988	Med. Keyless	4"	\$2.30	Breeze
R3989	Med. Keyless	6"	2.45	Brevet
R3990	Mog. Keyless	6"	2.85	Bridel

### Bridge Canopy—With Loop—Holder Not Ventilated

Number	Socket	Fitter	Price	Code
R3991	Med. Keyless	4"	\$2.05	Blotch
R3992	Med. Keyless	6"	2.20	Blowzy
R3993	Mog. Keyless	6"	2.55	Bluing

Carried in Stock in 36" Lengths Only

Additional Length, \$0.25 Per Foot List

Levolier Switch in Canopy, \$1.50 List Additional

Number	Socket	Fitter	Price	Code
R4006	Med. Keyless	4"	\$3.80	Brazen
R4007	Med. Keyless	6"	4.00	Breach
R4008	Mog. Keyless	6"	4.40	Breast

Levolier Switch in Canopy, \$1.50 List Additional  
Additional Length, \$0.75 Per Foot List


Number	Socket	Fitter	Price	Code
R3994	Med. Keyless	4"	\$1.65	Bobbin
R3995	Med. Pull	4"	2.00	Bonbon
R3996	Med. Keyless	6"	2.05	Bonnet
R3997	Med. Pull	6"	2.40	Boodle
R3998	Mog. Keyless	6"	3.10	Boreal
R3999	Mog. Lev. Switch	6"	4.60	Boress
R4000	Med. Keyless	4"	\$0.95	Botony
R4001	Med. Pull	4"	1.30	Bottle
R4002	Med. Keyless	6"	1.15	Bounce
R4003	Med. Pull	6"	1.50	Bourne

# Guth-FAN

The  
EDWIN E. Guth  
COMPANY

U. S. Patent No. 1699201  
Other U. S. and Foreign Patents  
Pending  
Trade-Mark Registered

DINING ROOM



R3868—6 Lights  
Brass  
Finish F308 (Sheffield Brass)  
21" Mica Shade—Cream Candles

Number	Lights	Spread	Length	Switches	Price	Code
R3868	6	21"	48"	2	\$200.00	Clench

LIVING ROOM



R3813—4 Lights  
Brass and Steel  
Finish F442 (English Brass)  
Alabaster Cased Glass

Number	Lights	Spread	Length	Switches	Price	Code
R3813	4	20"	48"	2	\$155.00	Cleave

## THE MOST OUTSTANDING DEVELOPMENT IN MODERN AIR-MOVING EQUIPMENT

THE Guth-Fan is an innovation, for it is the first outstanding development that scientifically controls air movement, combines attractively and efficiently with a lighting fixture and harmonizes with any decorative scheme. Room temperatures are considerably higher at the ceiling and, as the Guth-Fan air supply is drawn upward from below, only the cooler air is circulated.


It is a pleasure to sit in a room with Guth-Fan and have a pleasant breeze circulating all around and no draft.

### GUTH-FAN MOTOR

The Guth-Fan motor is of low wattage, ample capacity, very quiet running and will give continuous and uninterrupted service for twenty or more years.

The new Guth-Fan blade is so constructed that it moves over 5,000 cubic feet of air per minute. This breeze is continuous in all directions—to the walls, downward to the floor, back toward the center of the room and again up to the fan blade.


ELEVATOR



R3846—4 Lights  
Cast Bronze

Number	Lights	Spread	Length	Price	Code
R3844	No	13" O. A.	5"	\$175.00	Cogent
R3845	3	18" O. A.	5"	182.50	Cognac
R3846	4	18" O. A.	5"	185.00	Coheir

RAILWAY COACH



R3825—4 Lights  
Cast Iron  
Sand-Blast Udylite Plated

Number	Lights	Spread	Length	Glass	Price	Code
R3808	None	11" O. A.	18"	None	\$119.00	Coddle
R3824	2	16" O. A.	18"	G6001	134.00	Cockle
R3825	4	16" O. A.	18"	G6001	149.00	Cocoon

28-29-Volt Motor Included

## BREEZE *Plus* LIGHT

KEEP COOL  
BY EVAPORATION

BRIGHT  
BY ILLUMINATION

WRITE FOR COMPLETE FAN CATALOG No. 3

NO PACKAGE CHARGES—PRICES F. O. B. ST. LOUIS




# LUMO-VITRO ENAMEL SWITCH PLATES

STANDARD  
PUSH BUTTON  
PLATE




Type	Gangs
K1171	Single
K1172	Two
K1173	Three

STANDARD  
TOGGLE  
PLATE




Type	Gangs
K1177	Single
K1178	Two
K1179	Three

STANDARD  
TWIN  
PLATE



Type	Gangs
K3393	Single
K4044	Two
K4045	Three

STANDARD  
TRIPLT  
PLATE



Type	Gangs
K3394	Single
K4046	Two
K4047	Three

FLUSH  
RECEPTACLE  
PLATE



Type	Gangs
K1183	Single
K1184	Two
K1185	Three

STANDARD  
DUPLEX  
PLATE



Type	Gangs
K1189	Single
K1190	Two
K1191	Three

STANDARD  
TELEPHONE  
PLATE



Type	Gangs
K1168	Single
K1169	Two
K1170	Three

## LIST PRICES ON ABOVE

Single-Gang, \$0.30 Two-Gang, \$0.72 Three-Gang, \$1.08  
Over Three-Gang and Special, See Below

STANDARD COMBINATION  
PLUG AND PUSH BUTTON  
PLATE




Type	List	Code
K1195	\$0.72	Bunk

COMBINATION PLUG AND  
TOGGLE PLATE



Type	List	Code
K1193	\$0.72	Bunco

COMBINATION DUPLEX  
AND TOGGLE PLATE



Type	List	Code
K1187	\$0.72	Buck

Standard package consists of 25 gangs or over and may be assorted.

Standard Colors — White, Ivory or Gray. Also furnished in Pink, Blue, Brown and Green at 10 cents list extra per plate.

Each plate in individual envelope with nickel-plated screws.

If plates are ordered in less than standard packages, an additional charge is made of 20%.

Combination telegraph call plates, indicating Western Union and Postal, door push plates, mop plates and other special shapes can be furnished in White, Pink, Blue, Brown, Gray, Ivory or Green.

Prices quoted upon request.


Plates in other combinations than those shown above, also plates over three (3) gangs are special, and are billed at following prices:

Quantities of One Kind	Single-Gang List	Two-Gang List	Three-Gang List	Over Three-Gang List
1 to 9	\$1.20	\$2.40	\$3.60	\$1.20 Per Gang
10 to 49	.95	1.90	3.00	IN ANY
50 and over	.60	1.20	2.40	QUANTITY


## WINCH PRICES

X1014—Cast Iron Cut Gear—Cut Steel Worm  
Raising Capacity, 400 Pounds  
Price, \$35.00 Code—Bane

X1015—Cut Steel Gear—Bronze Worm  
Raising Capacity, 1,200 Pounds  
Price, \$112.50 Code—Bang



X1014—Winch  
X1015—Winch  
Cast Iron Frame




No. 79—Switch  
660-Watt Capacity  
List Price, \$1.50

Number	Material	Glass	Diam.	Hgt.	Bottom	Top	Globe Price	Complete Price
R1375	Aluminum Top	G3149	16"	17"	8"	9"	\$12.00	\$16.50
R4048	Aluminum Top	G3148	13 $\frac{3}{8}$ "	14 $\frac{3}{8}$ "	6"	7"	10.00	14.00
R4049	Glass Top	G3148	13 $\frac{3}{8}$ "	14 $\frac{3}{8}$ "	6"	7"	10.00	14.00


Number	Hgt.	Extend.	Glass	Size	Price	Code
R1263	10 $\frac{3}{4}$ "	7 $\frac{1}{2}$ "	G656	4 $\frac{1}{2}$ " x 6" x 3 $\frac{1}{4}$ "	\$10.65	Chill
R1264	12"	8 $\frac{1}{2}$ "	G655	7" x 8" x 5"	17.50	Chime

Number	Length	Extend.	Glass	Size	Price	Code
R1265	12"	.....	G656	4 $\frac{1}{2}$ " x 6" x 3 $\frac{1}{4}$ "	\$10.00	Chin
R1266	14 $\frac{1}{2}$ "	.....	G655	7" x 8" x 5"	16.90	China


Number	Hgt.	Extend.	Back Plate	Glass	Size	Price	Code
RR1271	13"	4 $\frac{3}{4}$ "	6 $\frac{7}{8}$ " x 12 $\frac{1}{2}$ "	Amber	5 $\frac{5}{8}$ " x 2 $\frac{3}{4}$ "	\$10.00	Chit
R1283	18"	12"	4 $\frac{1}{2}$ " x 10"	G1050	10" x 5"	22.50	Chute
R1284	22"	18"	7" x 14"	G1050	12" x 6"	36.00	Chyle
R1285	30"	28"	9 $\frac{1}{2}$ " x 28 $\frac{1}{2}$ "	G1050	16" x 8"	94.50	Chyme
RR1286	14"	9"	4 $\frac{5}{8}$ " x 11 $\frac{1}{2}$ "	G1050	8" x 4"	5.05	Cider
RR3363	22 $\frac{1}{2}$ "	13"	5 $\frac{1}{2}$ " x 11 $\frac{1}{2}$ "	G1050	10" x 5"	17.00	Groat
RR3364	22 $\frac{1}{2}$ "	13"	5 $\frac{1}{2}$ " x 11 $\frac{1}{2}$ "	G1050	10" x 5"	45.00	Grog




RR3363—Cast Iron  
Painted Black  
RR3364—Cast Bronze  
Finish F374 (Oiled Bronze)  
Radiant Glass




RR1286—Cast Iron  
Painted Black  
Radiant Glass




RR1271—Cast Iron  
Painted Black  
Amber Panels




R1283—Cast Iron  
Painted Black  
Radiant Glass



R1265—Copper  
Finish F374 (Oiled Copper)  
Radiant Glass



R1375—Aluminum  
Cased Glass



R1263—Copper  
Finish F374 (Oiled Copper)



# TELEGRAPH CODE

Our registered cable address is "BRASCOLITE, St. Louis, U. S. A."

The use of the following phrase code words and the code words shown after each type of fixture will reduce your telegraph or cable expense, and at the same time give us definite information.

## ADVISE AND ANSWER

**Align** . . . . Advise by mail  
**Allot** . . . . Advise by telegram  
**Ally** . . . . Answering your telegram  
**Alms** . . . . Answering your letter  
**Aloof** . . . . Must have your reply at once  
**Alpha** . . . . Immediate reply requested to our letter of-----  
**Alum** . . . . Where will you be on-----  
**Amain** . . . . Refer to your telegram  
**Amass** . . . . Refer to our telegram

**Amble** . . . . Please answer our telegram  
**Amice** . . . . Please answer our letter  
**Amity** . . . . Refer to your letter  
**Angel** . . . . Refer to our letter  
**Anile** . . . . Order is being held up awaiting your reply to our letter of--  
**Antic** . . . . Advise by mail if want shipment by express  
**Apace** . . . . Advise by wire if want shipment by express  
**Arbor** . . . . Advise by mail if want shipment by freight  
**Arena** . . . . Advise by wire if want shipment by freight

## INSTRUCTIONS

**Ibex** . . . . Big order pending  
**Icing** . . . . Blue prints have been mailed  
**Idiom** . . . . Cancel order number-----  
**Imbor** . . . . Customer's order number is-----  
**Inane** . . . . Change route immediately and see-----  
**Inapt** . . . . Designs will go forward-----  
**Inca** . . . . Full report will be ready by-----  
**Incus** . . . . Get in touch immediately with-----  
**Index** . . . . Hold for further advice, order number-----  
**Indic** . . . . Referring to designing department number-----  
**Indue** . . . . This must have immediate attention  
**Inept** . . . . Name of customer is-----  
**Infer** . . . . Order amounts to-----  
**Infra** . . . . Purchaser's financial standing is O. K.  
**Ingle** . . . . Referring to Engineering Report number-----  
**Ingot** . . . . Purchaser's financial standing is unknown to us

**Inter** . . . . Send following advertising matter to-----  
**Inurn** . . . . Send following plates to-----  
**Iota** . . . . This is a consumer  
**Irade** . . . . This is a dealer  
**Irony** . . . . This is an agent  
**Islam** . . . . Will send by mail, further information  
**Islet** . . . . This is a jobber  
**Istar** . . . . What finish desired on order-----  
**Itlon** . . . . Referring to our order number----- (For figures, see key below)  
**Cuttle** . . . . Order being held pending payment past due account  
**Clutch** . . . . Order being held pending investigation of credit responsibility  
**Cobble** . . . . May we ship C. O. D.  
**Itnor** . . . . Will you accept billing order received direct from (name of customer and list amount following)  
**Itops** . . . . Wired complete, ready to install, excluding lamps

## QUOTATIONS

**Quasi** . . . . Have you quoted  
**Queer** . . . . Wait for quotations

**Query** . . . . Have quoted list  
**Quib** . . . . You quote direct

**Quill** . . . . Quote list price only  
**Quire** . . . . Quote net price only

**Quiz** . . . . We are quoting  
**Quoin** . . . . Have quoted net

## SHIP AND SHIPMENTS

**Sable** . . . . Change shipping directions  
**Sabre** . . . . Change shipping date to-----  
**Sack** . . . . Duplicate order for-----  
**Sacro** . . . . Get ready for shipment but hold for instructions  
**Saga** . . . . Refer to your order number----- (For figures, see key below)  
**Salad** . . . . Refer to our order number----- (For figures, see key below)  
**Salic** . . . . When will you ship?  
**Sally** . . . . How soon can you ship?  
**Salme** . . . . Specifications not clear, advise  
**Salon** . . . . If you cannot ship at once, approximate shipping date  
**Salvo** . . . . Ship at once by express  
**Satin** . . . . Ship at once by freight  
**Satyr** . . . . Ship at once by express C. O. D.  
**Saura** . . . . By what route did you ship order to-----  
**Saucy** . . . . Shipping weight (approximate number of pounds)  
**Savoy** . . . . Ship the following samples  
**Saxon** . . . . Ship at once by freight, bill of lading attached  
**Scale** . . . . Send prepaid and charge on bill  
**Scamp** . . . . Send tracer after shipment  
**Scarp** . . . . Shipment is being vigorously traced

**Scion** . . . . Advise correct name of consignee and destination  
**Scoop** . . . . We have made complete shipment of all orders  
**Seam** . . . . Ship with other goods the following  
**Sedan** . . . . When was order shipped to-----  
**Scan** . . . . We can ship in following number of days-----  
**Scene** . . . . We will ship today  
**Scorn** . . . . We will ship tomorrow  
**Scour** . . . . We will ship latter part of week  
**Scowl** . . . . We will ship early part of next week  
**Scrap** . . . . We will ship latter part of next week  
**Sense** . . . . We cannot promise to ship before-----  
**Sepia** . . . . We can make immediate shipment  
**Sepoy** . . . . Shipment is now in course of transit  
**Shirk** . . . . We made partial shipment on  
**Skull** . . . . We made complete shipment  
**Slake** . . . . Order was shipped on the following items about which we are writing you  
**Slant** . . . . Order will be shipped on the following items about which we are writing you  
**Slash** . . . . F. O. B. St. Louis. No packing charge

For Telegraphic Figures Use the Following Key:

**BRASCOLITE**  
**1 2 3 4 5 6 7 8 9 0**



# LIST PRICES OF GLASSWARE SHOWN IN THIS CATALOG


Dimensions as given . . . Diameter First, Depth Second and Fitter Size Third

Number	Size	Texture	Shown on Page	Price	Number	Size	Texture	Shown on Page	Price
G235	9x7 $\frac{1}{4}$ x9	Opal, Clear Top	14	\$ 4.45	G4213	9x6 $\frac{1}{2}$ x4	Opal	25	\$ 1.75
G236	8x5 $\frac{1}{2}$ x8	Opal, Clear Top	14	3.90	G4241	5 $\frac{1}{4}$ x4 $\frac{1}{2}$ x3 $\frac{1}{4}$	Ruby "Stairs"	21	2.80
G355	6x4x2 $\frac{1}{4}$	Opal	27	.55	G4451	10 $\frac{1}{2}$ x3 $\frac{1}{4}$	Translucent	15	4.00
G594	6x6x3 $\frac{1}{4}$	Ruby "Exit"	21	2.30	G4505	9x6x4	Ivory	25	1.75
G627	9x6 $\frac{1}{2}$ x9	Radiant	14	5.70	G4664	5 $\frac{1}{4}$ x4 $\frac{1}{2}$ x3 $\frac{1}{4}$	Ruby "Exit"	21	2.80
G628	11 $\frac{1}{2}$ x8 $\frac{1}{4}$ x11 $\frac{1}{2}$	Radiant	14	7.30	G4665	5 $\frac{1}{4}$ x4 $\frac{1}{2}$ x3 $\frac{1}{4}$	Ruby "Exit"	21	2.80
G629	16x11x16	Radiant	14	11.55	G4876	7x6x6 $\frac{3}{8}$	Opal	1-2	2.70
G655	7x8x5	Radiant	35	3.40	G4877	7x6x6 $\frac{3}{8}$	Decorated	1-2	4.40
G656	4 $\frac{1}{2}$ x6x3 $\frac{1}{4}$	Radiant	35	1.20	G4882	9 $\frac{1}{2}$ x8x8 $\frac{3}{4}$	Opal	1-2	3.55
G763	14x9x14	Translucent	3	11.00	G4883	9 $\frac{1}{2}$ x8x8 $\frac{3}{4}$	Decorated	1-2	6.00
G764	11x7 $\frac{1}{2}$ x11	Translucent	3	6.60	G4888	12x10x11	Opal	1-2	4.65
G765	8 $\frac{1}{4}$ x6x8 $\frac{1}{4}$	Translucent	3	3.70	G4889	12x10x11	Decorated	1-2	7.85
G766	6 $\frac{1}{4}$ x4 $\frac{1}{2}$ x6 $\frac{1}{4}$	Translucent	3	2.00	G5129	8x8x2 $\frac{1}{4}$	Blue Etched	31	4.25
G975	8x5 $\frac{1}{4}$ x2 $\frac{1}{4}$	Lumo-Vitro	30	2.25	G5253	5 $\frac{1}{4}$ " Diam.	Spun Brass	27	6.00
G976	9x6 $\frac{1}{4}$ x2 $\frac{1}{4}$	Lumo-Vitro	30	2.50	G5547	8 $\frac{3}{8}$ x6 $\frac{3}{8}$ x4	Galax Plain	25	2.30
G977	10x7x2 $\frac{1}{4}$	Lumo-Vitro	30	3.00	G5548	11 $\frac{3}{8}$ x8 $\frac{1}{2}$ x5	Galax Plain	25	6.20
G1050	8x8x4	Radiant	24-35	1.15	G5549	14 $\frac{1}{8}$ x10 $\frac{1}{4}$ x6	Galax Plain	25	8.70
G1050	10x10x5	Radiant	24-35	3.15	G5550	8 $\frac{3}{8}$ x6 $\frac{3}{8}$ x4	Galax Decorated	25	4.85
G1050	12x12x6	Radiant	24-35	4.95	G5551	11 $\frac{3}{8}$ x8 $\frac{1}{2}$ x5	Galax Decorated	25	9.55
G1050	16x16x8	Radiant	35	10.85	G5552	14 $\frac{1}{8}$ x10 $\frac{1}{4}$ x6	Galax Decorated	25	12.35
G1060	13x1 $\frac{1}{2}$ x2 $\frac{1}{4}$	Pressed Opal	31	2.00	G5638	6x9x4	Radiant	26	3.65
G1122	6x3 $\frac{3}{8}$ x6	Opal	31	1.00	G5639	8x12x4	Radiant	26	6.30
G1126	6x3 $\frac{3}{8}$ x6	Etched	31	1.50	G5640	10x16x6	Radiant	26	9.40
G1382	6 $\frac{1}{4}$ x4 $\frac{3}{4}$ x2 $\frac{1}{4}$	Opal	10-27	.75	G5641	12 $\frac{1}{2}$ x20x6	Radiant	26	20.80
G1530	8x4	Ruby "Exit"	20	2.05	G5645	10x8x4	Radiant	26	4.25
G1532	10x6	Ruby "Exit"	20	3.30	G5646	12x10x6	Radiant	26	6.30
G1533	6x6x3 $\frac{1}{4}$	Ruby "Exit"	21	2.30	G5647	14x12x6	Radiant	26	8.40
G1674	7 Parabola	Steel	27	1.40	G5648	16x13x6	Radiant	26	11.80
G1704	For 60-Watt Lamp	Guard	27	2.10	G5682	5x5	Green "Exit"	20	2.25
G1735	5x8x5	Guard	30	4.30	G5683	6x7	Green "Exit"	20	2.80
G1751	8x1 $\frac{3}{4}$ x8	Radiant	24	2.95	G5686	5x5	Ruby "Exit"	20	1.70
G1752	10x1 $\frac{1}{8}$ x10	Radiant	24	3.45	G5687	6x7	Ruby "Exit"	20	2.15
G1753	12x2x12	Radiant	24	5.00	G5808	16x13x8	Radiant	26	11.80
G1754	14x2x14	Radiant	24	6.10	G5872	5 $\frac{3}{8}$ x2 $\frac{1}{2}$ x2 $\frac{1}{2}$	Marbo	17	1.00
G2141	7x7 $\frac{1}{4}$ x4	Opal	24	1.50	G5874	6 $\frac{3}{8}$ x3 $\frac{1}{2}$ x2 $\frac{1}{2}$	Marbo	17	1.25
G2142	9x9x5	Opal	24	2.15	G5876	8x6 $\frac{3}{8}$ x4	Opal	26	1.25
G2143	11x10 $\frac{1}{2}$ x6	Opal	24	3.35	G5877	12x8 $\frac{1}{2}$ x5	Opal	26	3.75
G2144	14x9 $\frac{1}{4}$ x6	Opal	14	4.70	G5878	14x10 $\frac{1}{4}$ x6	Opal	26	5.10
G2145	12x7 $\frac{1}{2}$ x5	Opal	14	3.45	G5884	13" Diam.	Guard	17	3.60
G2146	10x6 $\frac{1}{4}$ x4	Opal	14	1.70	G5886	16" Diam.	Guard	17	4.00
G2275	6 $\frac{1}{2}$ x3 $\frac{1}{4}$ x6 $\frac{1}{2}$	Decorated	31	2.05	G6001	4 $\frac{1}{8}$ x5 $\frac{1}{2}$ x2 $\frac{1}{4}$	Luster	33	2.25
G2621	10x10x5	Celestialite	24	9.25	G6078	10" Diam.	Guard	17	3.00
G2622	13x13x6	Celestialite	24	15.50	G6079	13" Diam.	Guard	17	3.60
G2624	10x10x5	Polycased	24	4.40	G6081	16" Diam.	Guard	17	4.00
G2625	13x13x6	Polycased	24	9.30	G6251	10x9x4	Celestialite	7	8.25
G2763	6x6x3 $\frac{1}{4}$	Ruby "Exit"	21	4.35	G6252	12x11x6	Celestialite	7	11.80
G2883	2 $\frac{3}{4}$ x8	Ruby "Exit"	20	2.05	G6253	14x12x6	Celestialite	7	16.80
G3073	9x6x4	Radiant	25	1.75	G6254	16x14x8	Celestialite	7	25.80
G3074	10x6 $\frac{1}{4}$ x4	Radiant	26	2.30	G6255	10x9x4	Dec. Polycased	7	6.40
G3077	14x9 $\frac{1}{2}$ x6	Radiant	26	5.10	G6256	12x11x6	Dec. Polycased	7	9.10
G3078	12x8 $\frac{1}{4}$ x5	Radiant	26	3.75	G6257	14x12x6	Dec. Polycased	7	12.90
G3079	16x10x6	Radiant	26	7.10	G6258	16x14x8	Dec. Polycased	7	15.50
G3092	4x5 $\frac{3}{4}$ x2 $\frac{1}{4}$	Lumo-Vitro	12	2.00	G6259	10x9x4	Plain Polycased	7	3.10
G3133	11 $\frac{3}{8}$ x8 $\frac{1}{4}$ x5	Tan Decorated	9	3.85	G6260	12x11x6	Plain Polycased	7	5.70
G3134	14 $\frac{1}{8}$ x10x6	Tan Decorated	9	5.70	G6261	14x12x6	Plain Polycased	7	7.80
G3144	4x5 $\frac{3}{4}$ x2 $\frac{1}{4}$	Opal	10-12	1.00	G6262	16x14x8	Plain Polycased	7	10.40
G3321	8x8x4	Polycased	24	2.85	G6263	10x9x4	White Silvaglo	7	1.60
G3322	8x8x4	Celestialite	24	6.40	G6264	12x11x6	White Silvaglo	7	3.80
G3449	11x1 $\frac{1}{2}$ x11	Lead C. R. I.	15	4.20	G6265	14x12x6	White Silvaglo	7	5.15
G3611	10x7 $\frac{3}{8}$ x5	Ivory	31	2.50	G6266	16x14x8	White Silvaglo	7	7.10
G3722	8x5 $\frac{1}{8}$ x4	Radiant	8-9-25	1.40	G6267	10x6 $\frac{1}{4}$ x4	White Silvaglo	24	1.60
G3723	12x7 $\frac{3}{8}$ x5	Radiant	8-9-25	3.30	G6268	12x9x5	White Silvaglo	24	3.80
G3724	14x9x6	Radiant	8-9-25	4.55	G6269	14x9x6	White Silvaglo	24	5.15
G3726	8x5 $\frac{1}{8}$ x4	Tan Decorated	8-9-25	2.25	G6270	16x11x6	White Silvaglo	24	7.10
G3727	12x7 $\frac{3}{8}$ x5	Tan Decorated	8-9-25	3.85	G6271	18x13x6	White Silvaglo	24	11.80
G3728	14x9x6	Tan Decorated	8-9-25	5.70	G6272	10x6 $\frac{1}{4}$ x4	Silvaglo, Tan Stripe	24	3.45
G3745	8x6	White Translucent	31	1.50	G6273	12x9x5	Silvaglo, Tan Stripe	24	5.95
G3747	8x6	Ivory Translucent	31	1.50	G6274	14x9x6	Silvaglo, Tan Stripe	24	8.45
G3818	10x7 $\frac{1}{2}$ x4	Radiant	26	2.30	G6275	16x11x6	Silvaglo, Tan Stripe	24	11.10
G3820	12x8 $\frac{3}{4}$ x5	Radiant	26	3.75	G6276	18x13x6	Silvaglo, Tan Stripe	24	17.40
G3822	14x10x6	Radiant	26	5.10	G6278	10x6 $\frac{1}{4}$ x4	Plain Polycased	24	3.10
G3823	16x11x6	Radiant	26	7.10	G6279	12x9x5	Plain Polycased	24	6.10
G3853	6" Diam.	Amber	15	.60	G6280	14x9x6	Plain Polycased	24	7.80
G3854	8" Diam.	Amber	15	.80	G6281	16x11x6	Plain Polycased	24	10.40
G3855	10" Diam.	Amber	15	1.00	G6282	18x13x6	Plain Polycased	24	21.60
G3856	9 $\frac{1}{8}$ x5 $\frac{1}{4}$	Clear Wire Glass	15	1.40	G6283	8x8x4	White Silvaglo	24	2.00
G3857	3 $\frac{3}{8}$ x4	D. S. Sanded	15	.40	G6284	10x10x5	White Silvaglo	24	3.20
G3866	9x5 $\frac{1}{4}$ x3 $\frac{1}{4}$	Lumo-Vitro	27	5.50	G6285	13x13x6	White Silvaglo	24	7.10
G3991	4x5 $\frac{3}{4}$ x2 $\frac{1}{4}$	Opal	11	1.50	G6287	Panel	Engraved Cased	1	4.60
G3992	4x5 $\frac{3}{4}$ x2 $\frac{1}{4}$	Ivory	11	1.50	G6288	Panel	Engraved Cased	1	4.60
G4088	6 $\frac{1}{4}$ x4 $\frac{3}{4}$ x2 $\frac{1}{4}$	Opal	11	1.50	G6316	16x12x6	Galax Plain	25	12.70
G4089	6 $\frac{1}{4}$ x4 $\frac{3}{4}$ x2 $\frac{1}{4}$	Ivory	11	1.50	G6317	16x12x6	Galax Decorated	25	17.70
G4178	9x6 $\frac{1}{2}$ x4	Ivory	25	2.05	G6335	16x12x6	Opal	26	7.10

NOTE—Standard switch plates shown on page 34 can be furnished in POLISHED STAINLESS STEEL at 50 CENTS PER GANG LIST. Special plates will be furnished in POLISHED STAINLESS STEEL at same prices listed for Lumo-Vitro




# Guth



S34285  
12 Lights  
23" Spread.  
Body of  
Lantern  
63" Long.  
Made of Bronze.  
Panels  $\frac{3}{4}$ "  
Plate Glass.

Voorhees, Gmelin  
& Walker, Archts.  
New York City,  
N. Y.



R1800—5 Lights  
Brass and Crystal, French Gold Finish  
Length 48" Spread 17 $\frac{1}{2}$ "

DESIGNS OF SPECIAL MONUMENTAL  
TO MEET SPECIAL ARCHITECTURAL  
REQUIREMENTS WILL BE CHEER-  
FULLY SUBMITTED ON REQUEST



S24421  
25 Lights  
Cast Bronze  
Hand Chased.  
Engraved  
Antique  
Belgium  
Glass Panels.  
Body of  
Lantern,  
10' Long.

The City Plan  
Commission, Inc.,  
Architects,  
St. Louis, Mo.

TEN OF THESE WERE DESIGNED FOR  
AND INSTALLED IN THE MAIN BANKING ROOM  
OF THE GENESEE VALLEY TRUST CO.  
ROCHESTER, NEW YORK

THREE OF THESE LANTERNS  
WERE INSTALLED IN THE MAIN  
CONCOURSE OF THE CIVIL  
COURTS BUILDING, ST. LOUIS, MO.



*The* **EDWIN F. GUTH COMPANY**  
**LIGHTING EQUIPMENT**  
**ST. LOUIS, U.S.A.**